

Wall

Our outdoor wall lights add a welcoming touch to exterior areas, complementing both natural and architectural elements. They offer a mix of practical illumination and elegant design, perfect for brightening up entryways, walkways and balconies

COPPER
— 9923411

Sandy White
Aluminium
LED · 7 Watt
220-240 Vac
467Lm · 3000K
IP65

—
D: 13.5
W: 4 cm



COPPER
— 9923411



COPPER
— 9923412



COPPER
— 9923412

Sandy Black
Aluminium
LED · 7 Watt
220-240 Vac
467Lm · 3000K
IP65

—
D: 13.5
W: 4 cm



COPPER
— 9923413

Sandy White
Aluminium
LED · 9 Watt
220-240 Vac
476Lm · 3000K
IP65

—
D: 18
W: 4 cm



COPPER
— 9923413



COPPER
— 9923414



COPPER
— 9923414

Sandy Black
Aluminium
LED · 9 Watt
220-240 Vac
476Lm · 3000K
IP65

—
D: 18
W: 4 cm



COPPER
— 9923415

Sandy White
Aluminium
LED · 12 Watt
220-240 Vac
948Lm · 3000K
IP65

—
D: 24
W: 5.6 cm



COPPER
— 9923415



COPPER
— 9923416



COPPER
— 9923416

Sandy Black
Aluminium
LED · 12 Watt
220-240 Vac
948Lm · 3000K
IP65

—
D: 24
W: 5.6 cm




COPPER
— 9923417

Sandy White
Aluminium
LED · 16 Watt
220-240 Vac
1046Lm · 3000K
IP65

—
D: 30
W: 7.1 cm



COPPER
— 9923417



COPPER
— 9923418



COPPER
— 9923418

Sandy Black
Aluminium
LED · 16 Watt
220-240 Vac
1046Lm · 3000K
IP65

—
D: 30
W: 7.1 cm



CICO
— 9136446

Sandy Black
Aluminium
& Polycarbonate
LED · 12 Watt
220-240 Vac
587Lm · 3000K
IP65
—
D: 24
W: 4.8 cm



CICO
— 9136446




CICO
— 9136447

Sandy White
Aluminium
& Polycarbonate
LED · 12 Watt
220-240 Vac
587Lm · 3000K
IP65
—
D: 24
W: 4.8 cm



CICO
— 9136447





ALUX
— 9136406

Sandy Black
Aluminium
& Polycarbonate
LED · 11 Watt
220-240 Vac
993Lm · 3000K
IP54

—
D: 16
W: 11.5 cm



ALUX
— 9136406



ALUX
— 9136407



ALUX
— 9136408



ALUX
— 9136407

Sandy White
Aluminium
& Polycarbonate
LED · 11 Watt
220-240 Vac
993Lm · 3000K
IP54

—
D: 16
W: 11.5 cm



ALUX
— 9136408


Corten
Aluminium
& Polycarbonate
LED · 11 Watt
220-240 Vac
993Lm · 3000K
IP54

—
D: 16
W: 11.5 cm





MOBY
— 9030900



MOBY
— 9030901



MOBY
— 9030902



MOBY
— 9030900

Sandy Black
Aluminium
& Stainless Steel
LED · 20 Watt
220-240 Vac
1545Lm · 3000K
IP65
—
L: 16
W: 9
H: 40 cm



MOBY
— 9030901


Sandy White
Aluminium
& Stainless Steel
LED · 20 Watt
220-240 Vac
1545Lm · 3000K
IP65
—
L: 16
W: 9
H: 40 cm



MOBY
— 9030902

Corten
Aluminium
& Stainless Steel
LED · 20 Watt
220-240 Vac
1545Lm · 3000K
IP65
—
L: 16
W: 9
H: 40 cm





PRIVE
— 9030751

Sandy Black
Aluminium
& Glass
LED · 9 Watt
220-240 Vac
284Lm · 3000K
IP65

L: 10
W: 12
H: 13 cm



PRIVE
— 9030752

Sandy Black
Aluminium
& Glass
LED · 14 Watt
220-240 Vac
383Lm · 3000K
IP65

L: 12
W: 14
H: 19 cm



PRIVE
— 9030753

Sandy Black
Aluminium
& Glass
LED · 17 Watt
220-240 Vac
509Lm · 3000K
IP65

L: 17
W: 17
H: 25 cm



PRIVE
— 9030751



PRIVE
— 9030752



PRIVE
— 9030753





SORREN
— 9197701



REGINA
— 9492442



SORREN
— 9197702



REGINA
— 9492760



REGINA
— 9492710



SORREN
— 9197701

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · E27 · 1x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

L: 8.6
W: 9
H: 25.8 cm



REGINA
— 9492442

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · E27 · 2x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

L: 8.6
W: 9
H: 34.8 cm



SORREN
— 9197702

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · E27 · 2x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

L: 22
W: 8.7
H: 22 cm



REGINA
— 9492760

Dark Anthracite
Die-Casting
Aluminium
& Clear Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

L: 13.8
W: 10
H: 23.8 cm



REGINA
— 9492710

Dark Anthracite
Die-Casting
Aluminium
& Clear Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

L: 15.2
W: 12.2
H: 29.5 cm





BREGGO
— 9923419

Sandy White
Aluminium
LED · 12 Watt
220-240 Vac
671Lm · 3000K
IP54

—
L: 61
W: 10
H: 7.5 cm



BREGGO
— 9923420

Sandy Black
Aluminium
LED · 12 Watt
220-240 Vac
671Lm · 3000K
IP54

—
L: 61
W: 10
H: 7.5 cm



BREGGO
— 9923421

Sandy White
Aluminium
LED · 17 Watt
220-240 Vac
890Lm · 3000K
IP54

—
L: 81
W: 10
H: 7.5 cm




BREGGO
— 9923422

Sandy Black
Aluminium
LED · 17 Watt
220-240 Vac
890Lm · 3000K
IP54

—
L: 81
W: 10
H: 7.5 cm




BREGGO
— 9923419



BREGGO
— 9923420



BREGGO
— 9923421



BREGGO
— 9923422



RIDGE

— 9923405

Sandy White
Aluminium
LED · 12 Watt
220-240 Vac
1073Lm · 3000K
IP65

—
D1: 1.6
D2: 7.6
H: 65 cm



RIDGE

— 9923406

Sandy Black
Aluminium
LED · 12 Watt
220-240 Vac
1073Lm · 3000K
IP65

—
D1: 1.6
D2: 7.6
H: 65 cm



RIDGE

— 9923407

Sandy White
Aluminium
LED · 19 Watt
220-240 Vac
1636Lm · 3000K
IP65

—
D1: 1.6
D2: 7.6
H: 97 cm




RIDGE


— 9923408

Sandy Black
Aluminium
LED · 19 Watt
220-240 Vac
1636Lm · 3000K
IP65

—
D1: 1.6
D2: 7.6
H: 97 cm



RIDGE — 9923406



RIDGE — 9923407

RIDGE — 9923408





ISOS
— 9030100



ISOS
— 9030101



ISOS
— 9030102



ISOS
— 9030100

Sandy Black
Aluminium
LED · 6 Watt
220-240 Vac
517Lm · 3000K
IP65

—
L: 5.3
W: 6
H: 61 cm



ISOS
— 9030101

Sandy White
Aluminium
LED · 6 Watt
220-240 Vac
517Lm · 3000K
IP65

—
L: 5.3
W: 6
H: 61 cm



ISOS
— 9030102

Corten
Aluminium
LED · 6 Watt
220-240 Vac
517Lm · 3000K
IP65

—
L: 5.3
W: 6
H: 61 cm





ANETH
— 9923409

Sandy White
Aluminium
LED · 20 Watt
220-240 Vac
1200Lm · 3000K
IP65


L: 5.3
W: 9
H: 104 cm



ANETH
— 9923410

Sandy Black
Aluminium
LED · 20 Watt
220-240 Vac
1200Lm · 3000K
IP65

L: 5.3
W: 9
H: 104 cm



ANETH
— 9923409

DOUL
— 9030105

DOUL
— 9030104

DOUL
— 9030103

DOUL
— 9030105

Corten
Aluminium
LED · 20 Watt
220-240 Vac
1200Lm · 3000K
IP65

L: 5.3
W: 6
H: 121 cm



DOUL
— 9030104

Sandy White
Aluminium
LED · 20 Watt
220-240 Vac
1200Lm · 3000K
IP65

L: 5.3
W: 6
H: 121 cm



DOUL
— 9030103


Sandy Black
Aluminium
LED · 20 Watt
220-240 Vac
1200Lm · 3000K
IP65

L: 5.3
W: 6
H: 121 cm






PATH
— 9030707



PATH
— 9030708



PATH
— 9030709



PATH
— 9030710



PATH — 9030707	PATH — 9030708	PATH — 9030709	PATH — 9030710
Sandy Black Aluminium LED · 11 Watt 220-240 Vac 150Lm · 3000K IP65	Sandy White Aluminium LED · 11 Watt 220-240 Vac 150Lm · 3000K IP65	Sandy Black Aluminium LED · 19 Watt 220-240 Vac 380Lm · 3000K IP65	Sandy White Aluminium LED · 19 Watt 220-240 Vac 380Lm · 3000K IP65
L: 4.7 W: 6 H: 50 cm	L: 4.7 W: 6 H: 50 cm	L: 4.7 W: 6 H: 100 cm	L: 4.7 W: 6 H: 100 cm

NOVA
— 9030943

Dark Anthracite
Aluminium
& Glass
LED · 21 Watt
220-240 Vac
974Lm · 3000K
IP65

L: 50
W: 6.5
H: 9 cm



NOVA
— 9030943



NOVA
— 9030944

Dark Anthracite
Aluminium
& Glass
LED · 36 Watt
220-240 Vac
1579Lm · 3000K
IP65

L: 100
W: 6.5
H: 9 cm



NOVA
— 9030944



INGA
— 9030593

Dark Anthracite
Die-Casting
Aluminium & Glass
LED · 11 Watt
220-240 Vac
875Lm · 3000K
IP65

Light up, down & front

L: 15.3
W: 7.3
H: 6.5 cm



INGA
— 9030594

Corten
Die-Casting
Aluminium & Glass
LED · 11 Watt
220-240 Vac
875Lm · 3000K
IP65

Light up, down & front

L: 15.3
W: 7.3
H: 6.5 cm



INGA
— 9030595

Dark Anthracite
Die-Casting
Aluminium & Glass
LED · 18 Watt
220-240 Vac
1484Lm · 3000K
IP65

Light up, down & front

L: 30
W: 7.3
H: 6.5 cm



INGA
— 9030596

Dark Anthracite
Die-Casting
Aluminium & Glass
LED · 31 Watt
220-240 Vac
3028Lm · 3000K
IP65

Light up, down & front

L: 45
W: 7.3
H: 6.5 cm



INGA
— 9030593



INGA
— 9030594



INGA
— 9030595



INGA
— 9030596



FLORA
— 9030807

Sandy Black
Aluminium
& Glass Diffuser
LED · 10 Watt
220-240 Vac
686Lm · 3000K
IP54

Light up & down

L: 23
W: 6.5
H: 6.5 cm



FLORA
— 9030807



FLORA
— 9030808



FLORA
— 9030808

Sandy White
Aluminium
& Glass Diffuser
LED · 10 Watt
220-240 Vac
686Lm · 3000K
IP54

Light up & down

L: 23
W: 6.5
H: 6.5 cm



ALLURE
— 9136456

Sandy Black
Aluminium
& Glass
LED · 22 Watt
220-240 Vac
1723Lm · 3000K
IP65

Light up & down

L: 26
W: 5.1
H: 6.5 cm



ALLURE
— 9136457

Sandy White
Aluminium
& Glass
LED · 22 Watt
220-240 Vac
1723Lm · 3000K
IP65

Light up & down

L: 26
W: 5.1
H: 6.5 cm



ALLURE
— 9136458

Sandy Black
Aluminium
& Glass
LED · 8 Watt
220-240 Vac
502Lm · 3000K
IP65

Light down

L: 22
W: 5.3
H: 5.5 cm



ALLURE
— 9136459


Sandy White
Aluminium
& Glass
LED · 8 Watt
220-240 Vac
502Lm · 3000K
IP65

Light down

L: 22
W: 5.3
H: 5.5 cm




ALLURE
— 9136456



ALLURE
— 9136457



ALLURE
— 9136458



ALLURE
— 9136459



BROWN
— 9030583

Sandy Black
Die-Casting
Aluminium, Wood
Color & Clear Glass
LED · 2 Watt
3.7 Vdc · 82Lm
3000K · IP65
Solar light

L: 25.8
W: 8.6
H: 8.6 cm



BROWN
— 9030584

Corten
Die-Casting
Aluminium, Wood
Color & Clear Glass
LED · 2 Watt
3.7 Vdc · 82Lm
3000K · IP65
Solar light

L: 25.8
W: 8.6
H: 8.6 cm



BROWN
— 9030585

Sandy White
Die-Casting
Aluminium, Wood
Color & Clear Glass
LED · 2 Watt
3.7 Vdc · 82Lm
3000K · IP65
Solar light

L: 25.8
W: 8.6
H: 8.6 cm



BROWN
— 9030583



BROWN
— 9030584



BROWN
— 9030585



ASTRAL
— 9030633

Dark Anthracite
Die-Casting
Aluminium,
Natural Wood Color
& Clear Glass
LED · 10 Watt
220-240 Vac
192Lm · 3000K
IP65

L: 8.6
W: 9
H: 25.8 cm



ASTRAL
— 9030633



ASTRAL
— 9030631



ASTRAL
— 9030631

Dark Anthracite
Die-Casting
Aluminium,
Natural Wood Color
& Clear Glass
LED · 16 Watt
220-240 Vac
374Lm · 3000K
IP65

L: 22
W: 8.7
H: 22 cm



ASTRAL
— 9030632



ASTRAL
— 9030630



ASTRAL
— 9030632

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 10 Watt
220-240 Vac
373Lm · 3000K
IP65


L: 8.6
W: 9
H: 25.8 cm




ASTRAL
— 9030630

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 16 Watt
220-240 Vac
948Lm · 3000K
IP65

L: 22
W: 8.7
H: 22 cm





KEEN
— 9270015

Dark Anthracite
Aluminium
& Acrylic Diffuser
LED · 12 Watt
220-240 Vac
1080Lm · 3000K
IP65
—
L: 9
W: 7
H: 18 cm



KEEN
— 9270016

Sandy White
Aluminium
& Acrylic Diffuser
LED · 12 Watt
220-240 Vac
1080Lm · 3000K
IP65
—
L: 9
W: 7
H: 18 cm



KEEN
— 9270027

Dark Anthracite
Aluminium
& Acrylic Diffuser
LED · 12 Watt
220-240 Vac
1080Lm · 3000K
IP65
—
L: 18
W: 9
H: 9 cm



KEEN
— 9270028

Sandy White
Aluminium
& Acrylic Diffuser
LED · 12 Watt
220-240 Vac
1080Lm · 3000K
IP65
—
L: 18
W: 9
H: 9 cm




KEEN
— 9030945

Dark Anthracite
Aluminium
& Acrylic Diffuser
LED · 20 Watt
220-240 Vac
1585Lm · 3000K
IP65
—
L: 30
W: 11.5
H: 10 cm



KEEN
— 9030946

Dark Anthracite
Aluminium
& Acrylic Diffuser
LED · 41 Watt
220-240 Vac
2768Lm · 3000K
IP65
—
L: 60
W: 15
H: 18 cm





LUPO
— 9926617

Dark Anthracite
Aluminium
& Acrylic Diffuser
LED · 10 Watt
220-240 Vac
380Lm · 3000K
IP65

—
L: 11
W: 8.5
H: 25 cm



LUPO
— 9926617



KEEN
— 9160081

Dark Gray
Aluminium
& Acrylic Diffuser
LED · 12 Watt
220-240 Vac
936Lm · 3000K
IP65

—
L: 9.5
W: 6.5
H: 22.5 cm



KEEN
— 9160081



NOBU
— 9060206



ZENON
— 9492610



CAPE
— 9492550



NOBU
— 9060206

Sandy Black
Aluminium
& Glass Diffuser
LED · 15 Watt
220-240 Vac
497Lm · 3000K
IP65

—
L: 19.3
W: 4.7
H: 12.7 cm



ZENON
— 9492610

Dark Anthracite
Die-Casting
Aluminium
& Acrylic Diffuser
LED · 10 Watt
220-240 Vac
558Lm · 3000K
IP65

—
L: 18
W: 7.5
H: 9 cm



CAPE
— 9492550

Dark Anthracite
Die-Casting
Aluminium,
Frost Acrylic
& Clear Glass
LED · 10 Watt
220-240 Vac
763Lm · 3000K
IP65

—
L: 20
W: 7.4
H: 20 cm



ARTU
— 9971460

Sandy Black
Aluminium
& Acrylic
LED · 10 Watt
220-240 Vac
335Lm · 3000K
IP65
—
L: 17.5
W: 3
H: 9.5 cm



ARTU
— 9971461

Sandy White
Aluminium
& Acrylic
LED · 10 Watt
220-240 Vac
335Lm · 3000K
IP65
—
L: 17.5
W: 3
H: 9.5 cm



FUNGO
— 9027201

Dark Gray
Aluminium
& Glass Diffuser
LED · 12 Watt
220-240 Vac
536Lm · 3000K
IP65
Light down
—
L: 22
W: 7.6
H: 3.2 cm



FUNGO
— 9027202

Sandy White
Aluminium
& Glass Diffuser
LED · 12 Watt
220-240 Vac
536Lm · 3000K
IP65
Light down
—
L: 22
W: 7.6
H: 3.2 cm



ARTU
— 9971460



ARTU
— 9971461



FUNGO
— 9027201



FUNGO
— 9027202



OONO
— 9030158



OONO
— 9030159



COMBO
— 9492600



OONO
— 9030158

Dark Anthracite
Die-Casting
Aluminium & Clear
Polycarbonate
LED · 11 Watt
220-240 Vac
270Lm · 3000K
IP65
—

D: 14.5
W: 4.7 cm



OONO
— 9030159

Dark Anthracite
Die-Casting
Aluminium & Clear
Polycarbonate
LED · 11 Watt
220-240 Vac
270Lm · 3000K
IP65
—

L: 13.5
W: 5
H: 13.5 cm



COMBO
— 9492600

Dark Anthracite
Die-Casting
Aluminium
& Polycarbonate
LED · 8 Watt
220-240 Vac
265Lm · 3000K
IP65
—

L: 16
W: 4.6
H: 15.5 cm



NOCTA
— 9030930

Dark Anthracite
Aluminium
& Glass
LED · 9 Watt
220-240 Vac
547Lm · 3000K
IP54

Light up & down

L: 9.6
W: 10
H: 24 cm



NOCTA
— 9030931

Sandy White
Aluminium
& Glass
LED · 9 Watt
220-240 Vac
547Lm · 3000K
IP54

Light up & down

L: 9.6
W: 10
H: 24 cm



POLLY
— 9030922

Sandy Black
Aluminium
LED · 10 Watt
220-240 Vac
608Lm · 3000K
IP54

L: 13
W: 5.5
H: 18 cm



POLLY
— 9030923

Sandy White
Aluminium
LED · 10 Watt
220-240 Vac
608Lm · 3000K
IP54

L: 13
W: 5.5
H: 18 cm



NOCTA
— 9030930



NOCTA
— 9030931



POLLY
— 9030922



POLLY
— 9030923





ARABELLA
— 9026119

Sandy White
Aluminium
& Clear Glass
LED · 6 Watt
100-240 Vac
398Lm · 3000K
IP54
Beam angle 50°
—
L: 11
W: 9
H: 18 cm



ARABELLA
— 9026119



MILE
— 9257871

Sandy White
Aluminium
& Glass
LED · 9 Watt
100-240 Vac
475Lm · 3000K
IP54
Light up & down
—
L: 18
W: 11.5
H: 7.5 cm



MILE
— 9257871



MILE
— 9262111

Sandy White
Aluminium
& Glass
LED · 2x5 Watt
100-240 Vac
550Lm · 3000K
IP54
Light up & down
—
L: 18
W: 3.5
H: 9 cm



MILE
— 9262111




FEDOR
— 9492630

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 8 Watt
220-240 Vac
282Lm · 3000K
IP65
Light up & down
—
L: 15.6
W: 3.8
H: 9.7 cm



FEDOR
— 9492630



BRIN
— 9160101

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 10 Watt
220-240 Vac
341Lm · 3000K
IP65
—
L: 14
W: 14.5
H: 3.5 cm



ZIRI
— 9492570

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 10 Watt
220-240 Vac
284Lm · 3000K
IP65
—
L: 18
W: 11.6
H: 4 cm





AGILE
— 833426

Dark Gray
Die-Casting
Aluminium
LED · 13 Watt
220-240 Vac
480Lm · 3000K
IP54
—
D: 15
W: 11.7
H: 15 cm



GRAVITY
— 810067

Dark Gray
Die-Casting
Aluminium
Acrylic Diffuser
LED · 13 Watt
220-240 Vac
660Lm · 3000K
IP54
—
D: 14
W: 4.8
H: 14cm



PURE
— 9492560

Dark Anthracite
Die-Casting
Aluminium
& Frost Acrylic
LED · 6 Watt
220-240 Vac
299Lm · 3000K
IP65
—
L: 16
W: 10.2
H: 3.4 cm



NECTAR
— 9030576

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 9 Watt
220-240 Vac
468Lm · 3000K
IP65
Light up & down
—
L: 20
W: 9.4
H: 5.5 cm



PARRIS
— 9492620

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 9 Watt
220-240 Vac
395Lm · 3000K
IP65
—
L: 12
W: 12
H: 11.5 cm



SALLY
— 9176105

Sandy Black
Aluminium
LED · 20 Watt
220-240 Vac
1261Lm · 3000K
IP54

L: 21
W: 16.5
H: 10 cm



SALLY
— 9176105



GERBER
— 9923423

Sandy Black
Aluminium
LED · 20 Watt
220-240 Vac
1261Lm · 3000K
IP54

With motion sensor

L: 21
W: 16.5
H: 10 cm



Max. distance 5m
The lights need to be installed
at least 1.5-2.5m from the ground.

VIDENO
— 9030624

Dark Anthracite
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 225Lm
3000K · IP65

Solar light

L: 20
W: 10.3
H: 5.5 cm



VIDENO
— 9030624



Working Time
10-11 Hrs

VIDENO
— 9492590

Dark Anthracite
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 10 Watt
220-240 Vac
302Lm · 3000K
IP65

Light up & down

L: 20
W: 10.3
H: 5.5cm



VIDENO
— 9492590



VALOR
— 9492540



TRENDO
— 9492520



PRIM
— 9492510



VALOR
— 9492540

Dark Anthracite
Die-Casting
Aluminium
& Frost Acrylic
LED · 2 Watt
3.7 Vdc · 104Lm
3000K · IP65

**Solar light
With motion sensor**

L: 18.6
W: 7.2
H: 14 cm



TRENDO
— 9492520

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 2 Watt
3.7 Vdc · 219Lm
3000K · IP65

**Solar light
With motion sensor**

L: 12.2
W: 14.6
H: 5 cm



PRIM
— 9492510

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 2 Watt
3.7 Vdc · 197Lm
3000K · IP65

**Solar light
With motion sensor**

L: 18
W: 17.5
H: 3.5 cm





0-90°
adjustable
beam angle



EPIC
— 9136174



EPIC
— 9136175



COMO
— 747406



COMO
— 847406



COMO
— 847407



COMO
— 847408

EPIC
— 9136174

Dark Anthracite
Aluminium
LED · 2x10 Watt
220-240 Vac
1950Lm · 3000K
IP54
—
L: 15
W: 15
H: 15 cm



EPIC
— 9136175

White
Aluminium
LED · 2x10 Watt
220-240 Vac
1950Lm · 3000K
IP54
—
L: 15
W: 15
H: 15 cm



COMO
— 747406

Sandy White
Aluminium
LED · 2x3 Watt
220-240 Vac
510Lm · 3000K
IP54
—
L: 11.2
W: 11.2
H: 11.2 cm



COMO
— 847406

Antique Brown
Aluminium
LED · 2x3 Watt
220-240 Vac
510Lm · 3000K
IP54
—
L: 11.2
W: 11.2
H: 11.2 cm



COMO
— 847407

Dark Gray
Aluminium
LED · 2x3 Watt
220-240 Vac
510Lm · 3000K
IP54
—
L: 11.2
W: 11.2
H: 11.2 cm



COMO
— 847408

Dark Anthracite
Aluminium
LED · 2x3 Watt
220-240 Vac
510Lm · 3000K
IP54
—
L: 11.2
W: 11.2
H: 11.2 cm





OPERA
— 9030937

Dark Anthracite
Aluminium
& Glass
LED · 11 Watt
220-240 Vac
950Lm · 3000K
IP54

Light up & down

L: 11
W: 10
H: 6.8 cm



OPERA
— 9030937



OPERA
— 9030940



OPERA
— 9030940

Dark Anthracite
Aluminium
& Glass
LED · 6 Watt
220-240 Vac
478Lm · 3000K
IP54

Light down

L: 11
W: 10
H: 6.8 cm



OPERA
— 9030938

Corten
Aluminium
& Glass
LED · 11 Watt
220-240 Vac
950Lm · 3000K
IP54

Light up & down

L: 11
W: 10
H: 6.8 cm



OPERA
— 9030938



OPERA
— 9030941



OPERA
— 9030941

Corten
Aluminium
& Glass
LED · 6 Watt
220-240 Vac
478Lm · 3000K
IP54

Light down

L: 11
W: 10
H: 6.8 cm



OPERA
— 9030939

Sandy White
Aluminium
& Glass
LED · 11 Watt
220-240 Vac
950Lm · 3000K
IP54

Light up & down

L: 11
W: 10
H: 6.8 cm



OPERA
— 9030939



OPERA
— 9030942




OPERA
— 9030942

Sandy White
Aluminium
& Glass
LED · 6 Watt
220-240 Vac
478Lm · 3000K
IP54

Light down

L: 11
W: 10
H: 6.8 cm





ZARI
— 9226217



ZARI
— 9226215



COMO
— 852436



ZARI
— 9226216



ZARI
— 9226214



COMO
— 726217



ZARI
— 9226217

Sandy White
Aluminium & Glass
LED · 2x2 Watt
100-240 Vac
285Lm · 3000K
IP54

Beam angle 38°
Light in 2 directions

L: 5.5
W: 6.5
H: 6.5 cm



ZARI
— 9226216

Dark Anthracite
Aluminium & Glass
LED · 2x2 Watt
100-240 Vac
285Lm · 3000K
IP54

Beam angle 38°
Light in 2 directions

L: 5.5
W: 6.5
H: 6.5 cm



ZARI
— 9226215

Sandy White
Aluminium & Glass
LED · 4x1 Watt
100-240 Vac
265Lm · 3000K
IP54

Beam angle 38°
Light in 4 directions

L: 5.5
W: 6.5
H: 6.5 cm



ZARI
— 9226214

Dark Anthracite
Aluminium & Glass
LED · 4x1 Watt
100-240 Vac
265Lm · 3000K
IP54

Beam angle 38°
Light in 4 directions

L: 5.5
W: 6.5
H: 6.5 cm



COMO
— 852436

Sandy White
Aluminium
& Glass
LED · 4x1 Watt
220-240 Vac
265Lm · 3000K
IP54

Beam angle 51°
Light in 4 directions

D: 11
W: 8.5 cm



COMO
— 726217

Sandy White
Aluminium
& Glass
LED · 2x5 Watt
220-240 Vac
560Lm · 3000K
IP54

Beam angle 51°
Light in 2 directions

D: 11
W: 8.5 cm





ELIO
— 9971470

Dark Anthracite
Aluminium
& Glass
LED · 6 Watt
220-240 Vac
429Lm · 3000K
IP65

Light up & down
Beam Angle 6°

L: 7
W: 6.2
H: 13 cm



ELIO
— 9971470



ELIO
— 9971473



ELIO
— 9971473

Dark Anthracite
Aluminium
& Glass
LED · 12 Watt
220-240 Vac
1327Lm · 3000K
IP65

Light up & down
Beam Angle 7°

L: 11.4
W: 6.2
H: 13 cm



ELIO
— 9971471

Sandy White
Aluminium
& Glass
LED · 6 Watt
220-240 Vac
429Lm · 3000K
IP65

Light up & down
Beam Angle 6°

L: 7
W: 6.2
H: 13 cm



ELIO
— 9971471



ELIO
— 9971474



ELIO
— 9971474

Sandy White
Aluminium
& Glass
LED · 12 Watt
220-240 Vac
1327Lm · 3000K
IP65

Light up & down
Beam Angle 7°

L: 11.4
W: 6.2
H: 13 cm



ELIO
— 9971472

Corten
Aluminium
& Glass
LED · 6 Watt
220-240 Vac
429Lm · 3000K
IP65

Light up & down
Beam Angle 6°

L: 7
W: 6.2
H: 13 cm



ELIO
— 9971472



ELIO
— 9971475



ELIO
— 9971475

Corten
Aluminium
& Glass
LED · 12 Watt
220-240 Vac
1327Lm · 3000K
IP65

Light up & down
Beam Angle 7°

L: 11.4
W: 6.2
H: 13 cm



ALP
— 9010008


Sandy Black
Aluminium
& Glass
LED Chip Cree
7 Watt
220-240 Vac
565Lm · 3000K
IP54

Beam Angle 7°


—
D: 5.5
W: 7
H: 10 cm



ALP
— 9010008



ALP
— 9010009



ALP
— 9010009

Sandy Black
Aluminium
& Glass
LED Chip Cree
2x7 Watt
220-240 Vac
1857Lm · 3000K
IP54

Beam Angle 7°

—
D: 5.5
W: 7
H: 17 cm



DIO
— 9136450

Sandy Black
Aluminium
LED · 4 Watt
220-240 Vac
60Lm · 3000K
IP65

Beam Angle 20°

—
L: 15.5
W: 4.7
H: 8.5 cm



DIO
— 9136450



DIO
— 9136451

Sandy White
Aluminium
LED · 4 Watt
220-240 Vac
60Lm · 3000K
IP65


Beam Angle 20°

—
L: 15.5
W: 4.7
H: 8.5 cm



DIO
— 9136451





DUOMO
— 9050729



DUOMO
— 9050730



SERIKA
— 9492580



DUOMO
— 9050729

Dark Anthracite
Aluminium
& Polycarbonate
LED · 5 Watt
220-240 Vac
400Lm · 3000K
IP54

—
L: 12
W: 3.7
H: 8 cm



DUOMO
— 9050730

Sandy White
Aluminium
& Polycarbonate
LED · 5 Watt
220-240 Vac
400Lm · 3000K
IP54

—
L: 12
W: 3.7
H: 8 cm



SERIKA
— 9492580

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 9 Watt
220-240 Vac
188Lm · 3000K
IP65

—
L: 11
W: 6
H: 11 cm



MILEY
— 9202262



MILEY
— 9202261



VEIRO
— 9104835



MILEY
— 9202262

Sandy Black
Aluminium
& Glass
LED · 7 Watt
200-240 Vac
397Lm · 3000K
IP54

Light up & dDown
—
L: 7.4
W: 7.4
H: 13.6 cm



MILEY
— 9202261

Sandy White
Aluminium
& Glass
LED · 7 Watt
200-240 Vac
397Lm · 3000K
IP54


Light up & down
—
L: 7.4
W: 7.4
H: 13.6 cm



VEIRO
— 9104835

Dark Anthracite
Die-Casting
Aluminium
& Glass
LED · 6 Watt
220-240 Vac
346Lm · 3000K
IP65

Light up & down
—
L: 9
W: 9.3
H: 20.5 cm





BRICE
— 9136176



BRICE
— 9136177



BRICE
— 9136176

Sandy Black
Aluminium
& Glass Diffuser
LED · 6 Watt
220-240 Vac
594Lm · 3000K
IP54

—
L: 4
W: 12
H: 6 cm



BRICE
— 9136177

Sandy White
Aluminium
& Glass Diffuser
LED · 6 Watt
220-240 Vac
594Lm · 3000K
IP54

—
L: 4
W: 12
H: 6 cm



DEWEI
— 9026117



DEWEI
— 9026118



AZAR
— 9026116



DEWEI
— 9026117

Dark Anthracite
Aluminium
& Acrylic
LED · 2x2 Watt
100-240 Vac
400Lm · 3000K
IP54

Light up & down

—
L: 5
W: 4
H: 9 cm



DEWEI
— 9026118

Sandy White
Aluminium
& Acrylic
LED · 2x2 Watt
100-240 Vac
400Lm · 3000K
IP54

Light up & down

—
L: 5
W: 4
H: 9 cm



AZAR
— 9026116

Dark Anthracite
Aluminium
& Acrylic
LED · 2x2 Watt
100-240 Vac
400Lm · 3000K
IP54

Light up & down

—
L: 5
W: 4
H: 9 cm



BOXY

— 9030148

Dark Anthracite
Die-Casting
Aluminium & Glass
LED · 3 Watt
220-240 Vac
157Lm · 3000K
IP65

Light down

L: 6.5
W: 3.8
H: 9 cm



BOXY
— 9030148



BOXY
— 9030149



BOXY

— 9030149

Sandy White
Die-Casting
Aluminium & Glass
LED · 3 Watt
220-240 Vac
157Lm · 3000K
IP65

Light down

L: 6.5
W: 3.8
H: 9 cm



BOXY
— 9030150



BOXY
— 9030151



BOXY

— 9030150

Dark Anthracite
Die-Casting
Aluminium & Glass
LED · 6 Watt
220-240 Vac
312Lm · 3000K
IP65

Light up & down

L: 6.5
W: 3.8
H: 12 cm




BOXY

— 9030151

Sandy White
Die-Casting
Aluminium & Glass
LED · 6 Watt
220-240 Vac
312Lm · 3000K
IP65

Light up & down

L: 6.5
W: 3.8
H: 12 cm





ORION
— 9030934

Dark Anthracite
Aluminium
& Glass
LED · 4 Watt
220-240 Vac
161Lm · 3000K
IP54
Beam angle 60°
Light up & down
—
L: 8
W: 4.5
H: 16 cm



ORION
— 9030935

Corten
Aluminium
& Glass
LED · 4 Watt
220-240 Vac
161Lm · 3000K
IP54
Beam angle 60°
Light up & down
—
L: 8
W: 4.5
H: 16 cm



ORION
— 9030936

Sandy White
Aluminium
& Glass
LED · 4 Watt
220-240 Vac
161Lm · 3000K
IP54
Beam angle 60°
Light up & down
—
L: 8
W: 4.5
H: 16 cm



ORION
— 9030934



ORION
— 9030935



ORION
— 9030936

TICK
— 9030815

Sandy Black
Aluminium
& Glass Diffuser
LED · 4 Watt
220-240 Vac
218Lm · 3000K
IP54
Light down
—
L: 11.5
W: 3
H: 9 cm



TICK
— 9030816

Sandy White
Aluminium
& Glass Diffuser
LED · 4 Watt
220-240 Vac
218Lm · 3000K
IP54
Light down
—
L: 11.5
W: 3
H: 9 cm



TICK
— 9030817

Sandy Black
Aluminium
& Glass Diffuser
LED · 7 Watt
220-240 Vac
416Lm · 3000K
IP54
Light up & down
—
L: 11.5
W: 3
H: 9 cm



TICK
— 9030818

Sandy White
Aluminium
& Glass Diffuser
LED · 7 Watt
220-240 Vac
416Lm · 3000K
IP54
Light up & down
—
L: 11.5
W: 3
H: 9 cm



TICK
— 9030815



TICK
— 9030816



TICK
— 9030817



TICK
— 9030818



PRATO
— 9030746

Sandy Black
Aluminium
& Glass
LED · 10 Watt
220-240 Vac
434Lm · 3000K
IP65
Light up & down
—
L: 18.4
W: 3.6
H: 11 cm



PRATO
— 9030747

Sandy White
Aluminium
& Glass
LED · 10 Watt
220-240 Vac
434Lm · 3000K
IP65
Light up & down
—
L: 18.4
W: 3.6
H: 11 cm



COMO
— 741662

Dark Gray
Aluminium
& Glass
LED · 2x3 Watt
220-240 Vac
510Lm · 3000K
IP54
Light up & down
Beam angle 34°
—
L: 15
W: 7
H: 11 cm



PRATO
— 9030746



PRATO
— 9030747



COMO
— 741662



SOHO
— 740401

Dark Gray
Aluminium
& Glass Diffuser
LED · 2x3 Watt
220-240 Vac
480Lm · 3000K
IP54
Light up & down
—
L: 12
W: 3
H: 10 cm



SOHO
— 740402

Sandy White
Aluminium
& Glass Diffuser
LED · 2x3 Watt
220-240 Vac
480Lm · 3000K
IP54
Light up & down
—
L: 12
W: 3
H: 10 cm



SOHO
— 740404

Dark Gray
Aluminium
& Glass Diffuser
LED · 2x5 Watt
220-240 Vac
800Lm · 3000K
IP54
Light up & down
—
L: 18.5
W: 3
H: 10 cm



SOHO
— 740403

Sandy White
Aluminium
& Glass Diffuser
LED · 2x5 Watt
220-240 Vac
800Lm · 3000K
IP54
Light up & down
—
L: 18.5
W: 3
H: 10 cm



ZARO
— 9492650

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 10 Watt
220-240 Vac
639Lm · 3000K
IP65
Light up & down
—
L: 9
W: 5.5
H: 10.2 cm



DEWI
— 9492640

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 8 Watt
220-240 Vac
296Lm · 3000K
IP65
Light up & down
—
L: 11.8
W: 3.8
H: 9.7 cm



SOHO
— 740401



SOHO
— 740402



SOHO
— 740404



SOHO
— 740403



ZARO
— 9492650



DEWI
— 9492640



YOKO
— 9030827

Sandy Black
Polycarbonate
& Acrylic Diffuser
LED · 13 Watt
220-240 Vac
788Lm · 3000K
IP65

Light up & down

L: 20
W: 3.9
H: 12.5 cm



YOKO
— 9030828

Sandy Black
Polycarbonate
& Acrylic Diffuser
LED · 7 Watt
220-240 Vac
374Lm · 3000K
IP65

Light down

L: 20
W: 3.9
H: 12.5 cm



WAY
— 9030829

Sandy Black
Polycarbonate
& Acrylic Diffuser
LED · 6 Watt
220-240 Vac
421Lm · 3000K
IP65

Light up & down

L: 13
W: 4
H: 14 cm



YORK
— 9030830

Sandy Black Acrylic
& Polycarbonate
Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP65

Light up & down
BULB EXCLUDED

L: 11
W: 8.5
H: 19.5 cm



YORK
— 9030831

Sandy White Acrylic
& Polycarbonate
Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP65

Light up & down
BULB EXCLUDED

L: 11
W: 8.5
H: 19.5 cm



YORK
— 9030832

Sandy Black Acrylic
& Polycarbonate
Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP65

Light down
BULB EXCLUDED

L: 11
W: 8.5
H: 11 cm



YORK
— 9030833

Sandy White Acrylic
& Polycarbonate
Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP65

Light down
BULB EXCLUDED

L: 11
W: 8.5
H: 11 cm





BETA
— 9030800

Sandy Black
Aluminium
& Glass Diffuser
LED · 8 Watt
220-240 Vac
684Lm · 3000K
IP54
Light down

D: 9
W: 11
H: 6.8 cm



BETA
— 9030800



BETA
— 9030801

BETA
— 9030801

Sandy Black
Aluminium
& Glass Diffuser
LED · 13 Watt
220-240 Vac
1253Lm · 3000K
IP54
Light up & down

D: 9
W: 11
H: 6.8 cm



NUS
— 9200201

Sandy Black
Die-Casting
Aluminium
& Acrylic Diffuser
LED · 4 Watt
100-240 Vac
400Lm · 3000K
IP54
Light down

L: 13.2
W: 9
H: 6.9 cm



NUS
— 9200201



NUS
— 9200202

NUS
— 9200202

Sandy Black
Die-Casting
Aluminium
& Acrylic Diffuser
LED · 2x4 Watt
100-240 Vac
943Lm · 3000K
IP54
Light up & down

L: 13.2
W: 9
H: 7.8 cm



DARF
— 9925665

Sandy Black
Aluminium
& ABS Diffuser
LED · 5 Watt
100-240 Vac
420Lm · 3000K
IP65
Light down

D: 9.5
W: 10.5
H: 8.5 cm



DARF
— 9925665



DARF
— 9925666

DARF
— 9925666

Sandy Black
Aluminium
& ABS Diffuser
LED · 2x5 Watt
100-240 Vac
840Lm · 3000K
IP65
Light up & down

D: 9.5
W: 10.5
H: 13 cm



HELMET
— 9971468

Dark Anthracite
Aluminium
& Glass
LED · 5 Watt
220-240 Vac
321Lm · 3000K
IP65
Beam angle 13°


D: 7.5
H: 13 cm



HELMET
— 9971469

Dark Anthracite
Aluminium
& Glass
LED · 10 Watt
220-240 Vac
831Lm · 3000K
IP65
Beam angle 20°

D: 9
H: 13.5 cm



FOCUS
— 752470

Dark Gray
Aluminium
& Glass
LED · 6 Watt
220-240 Vac
420Lm · 3000K
IP54
Beam angle 44°

L: 8.5
W: 14
H: 12 cm



HELMET
— 9971468



HELMET
— 9971469

OVI
— 9136182

Sandy Black
Aluminium
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP54
Light down
BULB EXCLUDED

D: 10
W: 11
H: 9 cm



FOCUS
— 752470



OVI
— 9136182



TORRIN

— 9050715 (2700K)
— 9050714 (3000K)

Corten Aluminium & Glass
LED · 3 Watt
220-240 Vac · IP65
2700K · 230Lm
3000K · 240Lm
Beam angle 25°
Light down

D: 4.5
W: 7.5
H: 23 cm



TORRIN
— 9050715
— 9050714

TORRIN

— 9050717 (2700K)
— 9050716 (3000K)

Sandy White Aluminium & Glass
LED · 3 Watt
220-240 Vac · IP65
2700K · 230Lm
3000K · 240Lm
Beam angle 25°
Light down

D: 4.5
W: 7.5
H: 23 cm



TORRIN
— 9050717
— 9050716

TORRIN

— 9050719 (2700K)
— 9050718 (3000K)

Dark Anthracite Aluminium & Glass
LED · 3 Watt
220-240 Vac · IP65
2700K · 230Lm
3000K · 240Lm
Beam angle 25°
Light down

D: 4.5
W: 7.5
H: 23 cm



TORRIN
— 9050719
— 9050718



TORRIN
— 9050721
— 9050720

TORRIN

— 9050721 (2700K)
— 9050720 (3000K)

Corten Aluminium & Glass
LED · 6 Watt
220-240 Vac · IP65
2700K · 460Lm
3000K · 480Lm
Beam angle 25°
Light up & down

D: 4.5
W: 7.5
H: 23 cm



TORRIN

— 9050723 (2700K)
— 9050722 (3000K)

Sandy White Aluminium & Glass
LED · 6 Watt
220-240 Vac · IP65
2700K · 460Lm
3000K · 480Lm
Beam angle 25°
Light up & down

D: 4.5
W: 7.5
H: 23 cm



TORRIN
— 9050723
— 9050722

TORRIN

— 9050725 (2700K)
— 9050724 (3000K)

Dark Anthracite Aluminium & Glass
LED · 6 Watt
220-240 Vac · IP65
2700K · 460Lm
3000K · 480Lm
Beam angle 25°
Light up & down

D: 4.5
W: 7.5
H: 23 cm



TORRIN
— 9050725
— 9050724



LUSY

— 9971459

Corten Aluminium & Glass
LED · 5 Watt
220-240 Vac
310Lm · 3000K
IP65

Beam angle 34°

D: 5
W: 7
H: 20 cm



LUSY

— 9971458

Sandy White Aluminium & Glass
LED · 5 Watt
220-240 Vac
310Lm · 3000K
IP65

Beam angle 34°

D: 5
W: 7
H: 20 cm



LUSY
— 9971458

LUSY
— 9971459

LUSY
— 9971457





NERO
— 910021

Sandy White
Aluminium
& Glass Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP54

Light down
BULB EXCLUDED

—
D: 7
W: 8
H: 8 cm



NERO
— 910021



NERO
— 710021

Dark Gray Aluminium
& Glass Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP54

Light down
BULB EXCLUDED

—
D: 7
W: 8
H: 8 cm



NERO
— 710021



NERO
— 910041

Sandy White
Aluminium
& Glass Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP54

Light down
BULB EXCLUDED

—
L: 6.7
W: 8
H: 8 cm



NERO
— 910041



NERO
— 710041

Gray Aluminium
& Glass Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP54

Light down
BULB EXCLUDED

—
L: 6.7
W: 8
H: 8 cm



NERO
— 710041



NERO
— 910022

Sandy White
Aluminium
& Glass Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP54

Light up & down
BULB EXCLUDED

—
D: 7
W: 8
H: 15 cm



NERO
— 910022



NERO
— 710022

Dark Gray Aluminium
& Glass Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP54

Light up & down
BULB EXCLUDED

—
D: 7
W: 8
H: 15 cm



NERO
— 710022



NERO
— 910042

Sandy White
Aluminium
& Glass Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP54

Light up & down
BULB EXCLUDED

—
L: 6.7
W: 8
H: 15 cm



NERO
— 910042



NERO
— 710042

Gray Aluminium
& Glass Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP54

Light up & down
BULB EXCLUDED

—
L: 6.7
W: 8
H: 15 cm



NERO
— 710042



NODUS
— 773221

Dark Gray Aluminium
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP54

Light down
BULB EXCLUDED

D: 6.5
W: 10.4
H: 11 cm



NODUS
— 773222

Antique Brown
Aluminium
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP54

Light down
BULB EXCLUDED

D: 6.5
W: 10.4
H: 11 cm



NODUS
— 773223

Dark Gray Aluminium
& Glass Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP54

Light up & down
BULB EXCLUDED

D: 6.5
W: 10.4
H: 18 cm




NODUS
— 773224

Antique Brown
Aluminium
& Glass Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP54

Light up & down
BULB EXCLUDED

D: 6.5
W: 10.4
H: 18 cm



JACKIE
— 9971462

Dark Anthracite
Aluminium
& Glass
LED · 3 Watt
220-240 Vac
226Lm · 3000K
IP65

Beam angle 34°
Light down

D: 6
W: 8
H: 8 cm



JACKIE
— 9971463

Sandy White
Aluminium
& Glass
LED · 3 Watt
220-240 Vac
226Lm · 3000K
IP65

Beam angle 34°
Light down

D: 6
W: 8
H: 8 cm





JACKIE
— 9971464

Corten
Aluminium
& Glass
LED · 3 Watt
220-240 Vac
226Lm · 3000K
IP65

Beam angle 34°
Light down

D: 6
W: 8
H: 8 cm



LIMBIO

— 9010601

White ABS
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP44

Light down
BULB EXCLUDED

—
D: 6
W: 8.5
H: 12 cm



LIMBIO
— 9010601



LIMBIO
— 9010602



LIMBIO

— 9010602

Black ABS
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP44

Light down
BULB EXCLUDED

—
D: 6
W: 8.5
H: 12 cm



LIMBIO
— 9010622



LIMBIO
— 9010621



LIMBIO

— 9010622

Black ABS
& Glass Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP44

Light up & down
BULB EXCLUDED

—
D: 8
W: 8.5
H: 16 cm




LIMBIO

— 9010621

White ABS
& Glass Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP44

Light up & down
BULB EXCLUDED

—
D: 8
W: 8.5
H: 16 cm



LETO
— 9060203

Sandy Black
Aluminium
& Acrylic Diffuser
LED · 18 Watt
220-240 Vac
2132Lm · 3000K
IP65
—
L: 14.5
W: 10.2
H: 29 cm



LETO
— 9060204

Sandy Black
Aluminium
& Acrylic Diffuser
LED · 18 Watt
220-240 Vac
2132Lm · 3000K
IP65
—
L: 29
W: 14.5
H: 10.2 cm



LETO
— 9060202

Sandy Black
Aluminium
& Acrylic Diffuser
LED · 18 Watt
220-240 Vac
2132Lm · 3000K
IP65
—
L: 14.5
W: 10.2
H: 29 cm



LETO
— 9060205

Sandy Black
Aluminium
& Acrylic Diffuser
LED · 10 Watt
220-240 Vac
1208Lm · 3000K
IP65
—
L: 14.5
W: 10.2
H: 17.5 cm





ZENITH
— 713115



ZENITH
— 713114



ZENITH
— 713113



ZENITH
— 9020932



ZENITH
— 9020933



ZENITH
— 713514



ZENITH
— 713115

Sandy White
Aluminium
& Acrylic Diffuser
LED · E27 · 1x12 Watt
100-240 Vac
IP44

BULB EXCLUDED

L: 30.3
W: 9
H: 10 cm



ZENITH
— 713114

Antique Brown
Aluminium
& Acrylic Diffuser
LED · E27 · 1x12 Watt
100-240 Vac
IP44

BULB EXCLUDED

L: 30.3
W: 9
H: 10 cm



ZENITH
— 713113

Dark Gray
Aluminium
& Acrylic Diffuser
LED · E27 · 1x12 Watt
100-240 Vac
IP44

BULB EXCLUDED

L: 30.3
W: 9
H: 10 cm



ZENITH
— 9020932

Dark Gray
Aluminium
& Anti-Glare
Acrylic Diffuser
LED · E27 · 1x12 Watt
100-240 Vac
IP44

BULB EXCLUDED

L: 30.3
W: 9
H: 10 cm



ZENITH
— 9020933

Dark Gray
Aluminium
& Anti-Glare
Acrylic Diffuser
LED · E27 · 1x12 Watt
100-240 Vac
IP44

BULB EXCLUDED

L: 30.3
W: 9
H: 10 cm



ZENITH
— 713514

Dark Gray
Aluminium
& Acrylic Diffuser
LED · E27 · 1x12 Watt
100-240 Vac
IP44

BULB EXCLUDED

L: 23
W: 9.5
H: 26.4 cm



ARROW

— 9050700

Dark Anthracite
Aluminium
& Polycarbonate
LED · 9 Watt
220-240 Vac
562Lm · 3000K
IP65
—
L: 10
W: 9
H: 24 cm



ARROW
— 9050700



ARROW
— 9050701

ARROW

— 9050701

Brass Gold
Aluminium
& Polycarbonate
LED · 9 Watt
220-240 Vac
562Lm · 3000K
IP65
—
L: 10
W: 9
H: 24 cm



TIEPOLO
— 9030766



TIEPOLO
— 9030767

TIEPOLO

— 9030766

Sandy White
Polycarbonate
LED · 11 Watt
220-240 Vac
885Lm · 3000K
IP65
—
L: 9.8
W: 6
H: 20.8 cm



TIEPOLO

— 9030767

Sandy Black
Polycarbonate
LED · 11 Watt
220-240 Vac
885Lm · 3000K
IP65
—
L: 9.8
W: 6
H: 20.8 cm





TUNE
— 9529712

Sandy White
Aluminium
& Acrylic
LED · 9 Watt
100-240 Vac
620Lm · 3000K
IP65

—
D: 15
W: 5.5 cm



TUNE
— 9529713

Sandy Black
Aluminium
& Acrylic
LED · 9 Watt
100-240 Vac
620Lm · 3000K
IP65

—
D: 15
W: 5.5 cm



TUNE
— 9529720

Sandy White
Aluminium
& Acrylic
LED · 9 Watt
100-240 Vac
620Lm · 3000K
IP65

—
L: 15
W: 5.5
H: 15 cm



TUNE
— 9529721

Sandy Black
Aluminium
& Acrylic
LED · 9 Watt
100-240 Vac
620Lm · 3000K
IP65

—
L: 15
W: 5.5
H: 15 cm



DROPLET
— 9522101

Sandy White
Aluminium
& Acrylic
LED · 6 Watt
100-240 Vac
230Lm · 3000K
IP65

—
L: 13
W: 4.5
H: 16 cm




DROPLET
— 9522102

Sandy Black
Aluminium
& Acrylic
LED · 6 Watt
100-240 Vac
230Lm · 3000K
IP65

—
L: 13
W: 4.5
H: 16 cm





AMEL
— 9030577

Dark Anthracite
Die-Casting
Aluminium & Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

L: 12.5
W: 8.5
H: 25.5 cm



AMEL
— 9030577



AMEL
— 9030578



AMEL
— 9030578

Dark Anthracite
Die-Casting
Aluminium & Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

L: 14
W: 9.4
H: 27 cm



AMEL
— 9030164

Dark Anthracite
Die-Casting
Aluminium & Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

L: 9.5
W: 9
H: 23 cm



AMEL
— 9030164



AMEL
— 9030165



AMEL
— 9030165

Dark Anthracite
Die-Casting
Aluminium & Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

L: 9.5
W: 9
H: 23 cm



AMEL
— 9030166

Dark Anthracite
Die-Casting
Aluminium & Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

D: 17.5
W: 10 cm



AMEL
— 9030166



AMEL
— 9030167



AMEL
— 9030167

Dark Anthracite
Die-Casting
Aluminium & Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

D: 17.5
W: 10 cm



Ceiling

Our exterior ceiling lights combine durability and elegance to create a well-lit, inviting atmosphere for any outdoor setting. Perfect for porches, patios, and entryways, they enhance both natural and architectural elements with their stylish and functional design





SKY
— 9030823



OLIVER
— 9944603



OLIVER
— 9944602



TOMMY
— 9521001



TOMMY
— 9521002



SKY
— 9030823

Sandy Black Acrylic & Polycarbonate Diffuser
LED · 15 Watt
220-240 Vac
1197Lm · 3000K
IP65
—
D: 30
H: 7.7 cm



OLIVER
— 9944603

Dark Anthracite Aluminium & Acrylic Diffuser
LED · 20 Watt
100-240 Vac
1550Lm · 3000K
IP65
—
D: 27
H: 7 cm



OLIVER
— 9944602

Sandy White Aluminium & Acrylic Diffuser
LED · 20 Watt
100-240 Vac
1550Lm · 3000K
IP65
—
D: 27
H: 7 cm



TOMMY
— 9521001

Dark Gray ABS & Acrylic Diffuser
LED · 25 Watt
220-240 Vac
1500Lm · 3000K
IP54
—
D: 32
H: 6 cm



TOMMY
— 9521002

Dark Gray ABS & Acrylic Diffuser
LED · 21 Watt
220-240 Vac
1260Lm · 3000K
IP54
—
L: 28
W: 28
H: 6 cm



JUDI
— 9030834



JUDI
— 9030836



REO
— 9030768



JUDI
— 9030835



JUDI
— 9030837



REO
— 9030769



JUDI
— 9030834

Sandy White
Aluminium
& Polycarbonate
LED · 10 Watt
100-240 Vac
655Lm · 3000K
IP65

—
D: 12
H: 6 cm



JUDI
— 9030835

Dark Anthracite
Aluminium
& Polycarbonate
LED · 10 Watt
100-240 Vac
655Lm · 3000K
IP65

—
D: 12
H: 6 cm



JUDI
— 9030836

Sandy White
Aluminium
& Polycarbonate
LED · 20 Watt
100-240 Vac
1485Lm · 3000K
IP65

—
D: 21
H: 6 cm



JUDI
— 9030837

Dark Anthracite
Aluminium
& Polycarbonate
LED · 20 Watt
100-240 Vac
1485Lm · 3000K
IP65

—
D: 21
H: 6 cm



REO
— 9030768

Sandy White
Polycarbonate
LED · 19 Watt
220-240 Vac
1636Lm · 3000K
IP65

—
D: 23.5
W: 7.5 cm



REO
— 9030769

Sandy Black
Polycarbonate
LED · 19 Watt
220-240 Vac
1636Lm · 3000K
IP65

—
D: 23.5
W: 7.5 cm





JAX
— 9050703



JAX
— 9050704




JAX
— 9030947



JAX
— 9030948



JAX
— 9971479



JAX
— 9050703

Dark Anthracite
Aluminium
& Glass
LED · 7 Watt
220-240 Vac
560Lm · 3000K
IP65

Beam angle 30°

—
L: 14.2
W: 4
H: 7.5 cm



JAX
— 9050704

Sandy White
Aluminium
& Glass
LED · 7 Watt
220-240 Vac
560Lm · 3000K
IP65

Beam angle 30°

—
L: 14.2
W: 4
H: 7.5 cm



JAX
— 9030947

Dark Anthracite
Aluminium
& Glass
LED · 8 Watt
220-240 Vac
448Lm · 3000K
IP54

Beam angle 28°

—
L: 8
W: 8
H: 6.5 cm



JAX
— 9030948

Sandy White
Aluminium
& Glass
LED · 8 Watt
220-240 Vac
448Lm · 3000K
IP54

Beam angle 28°

—
L: 8
W: 8
H: 6.5 cm



JAX
— 9971479

Dark Anthracite
Aluminium
& Glass
LED · 17 Watt
220-240 Vac
1463Lm · 3000K
IP54

Beam angle 29°

—
L: 11
W: 11
H: 8 cm



FOCUS
— 752461



FOCUS
— 752463



FOCUS
— 752462



FOCUS
— 752461

Dark Anthracite
Aluminium
& Glass Diffuser
LED · Gx53 · 7 Watt
424Lm · 3000K
IP54

—
D: 10
H: 6.5 cm



FOCUS
— 752463

Dark Gray
Aluminium
& Glass Diffuser
LED · Gx53 · 7 Watt
220-240 Vac
424Lm · 3000K
IP54


—
D: 10
H: 6.5 cm



FOCUS
— 752462

Sandy White
Aluminium
& Glass Diffuser
LED · Gx53 · 7 Watt
424Lm · 3000K
IP54

—
D: 10
H: 6.5 cm



LUMINA

— 9030842

Dark Anthracite
Aluminium
& Glass Diffuser
LED · 6 Watt
100-240 Vac
508Lm · 3000K
IP65
Beam angle 16°

—
D: 6.5
H: 9 cm



LUMINA
— 9030842



LUMINA
— 9030843



LUMINA

— 9030843

Sandy White
Aluminium
& Glass Diffuser
LED · 6 Watt
100-240 Vac
508Lm · 3000K
IP65
Beam angle 16°

—
D: 6.5
H: 9 cm



LUMINA
— 9030844



LUMINA
— 9030845



LUMINA

— 9030844

Dark Anthracite
Aluminium
& Glass Diffuser
LED · 9 Watt
100-240 Vac
716Lm · 3000K
IP65
Beam angle 18°

—
D: 8
H: 10 cm



LUMINA

— 9030845

Sandy White
Aluminium
& Glass Diffuser
LED · 9 Watt
100-240 Vac
716Lm · 3000K
IP65
Beam angle 18°

—
D: 8
H: 10 cm



CECI

— 9220021

Sandy White
Aluminium
& Glass Diffuser
LED · 3 Watt
100-240 Vac
230Lm · 3000K
IP65
Beam angle 52°

—
D: 5.5
H: 11 cm



CECI

— 9220022

Dark Anthracite
Aluminium
& Glass Diffuser
LED · 3 Watt
100-240 Vac
230Lm · 3000K
IP65
Beam angle 52°

—
D: 5.5
H: 11 cm



CECI

— 9200612

Sandy White
Aluminium
& Glass Diffuser
LED · 6 Watt
100-240 Vac
520Lm · 3000K
IP65

—
D: 9
H: 11 cm



CECI

— 9200611

Dark Anthracite
Aluminium
& Glass Diffuser
LED · 6 Watt
100-240 Vac
520Lm · 3000K
IP65

—
D: 9
H: 11 cm



CECI
— 9220021




CECI
— 9220022



CECI
— 9200612



CECI
— 9200611



DARA
— 9136178

Dark Anthracite
Aluminium
& Glass Diffuser
LED · 9 Watt
100-240 Vac
579Lm · 3000K
IP54

Beam angle 18°

—
D: 8
H: 11 cm



DARA
— 9136179

Sandy White
Aluminium
& Glass Diffuser
LED · 9 Watt
100-240 Vac
579Lm · 3000K
IP54

Beam angle 18°

—
D: 8
H: 11 cm



SPOT
— 9030821

Sandy Black
Aluminium
& Polycarbonate
Diffuser
LED · GU10
1x10 Watt
100-240 Vac
IP54

BULB EXCLUDED

—
D: 7.6
H: 14 cm



SPOT
— 9030822

Sandy White
Aluminium
& Polycarbonate
Diffuser
LED · GU10
1x10 Watt
100-240 Vac
IP54

BULB EXCLUDED

—
D: 7.6
H: 14 cm



DARA
— 9136178



DARA
— 9136179



SPOT
— 9030821



SPOT
— 9030822



CERISE
— 9020021

Dark Gray
Die-Casting
Aluminium
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP54

BULB EXCLUDED

—
D: 6
H: 10.5 cm



CERISE
— 9020021



CERISE
— 9040021



CERISE
— 9020061

Dark Gray
Die-Casting
Aluminium
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP54

BULB EXCLUDED

—
D: 9
H: 9 cm



CERISE
— 9020061



CERISE
— 9040061



CERISE
— 9020022

Dark Gray
Die-Casting
Aluminium
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP54

BULB EXCLUDED

—
L: 8.6
W: 8.6
H: 9 cm



CERISE
— 9020022



CERISE
— 9040022



CERISE
— 9040021

Sandy White
Die-Casting
Aluminium
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP54

BULB EXCLUDED

—
D: 6
H: 10.5 cm



CERISE
— 9040061

Sandy White
Die-Casting
Aluminium
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP54

BULB EXCLUDED

—
D: 9
H: 9 cm



CERISE
— 9040022

Sandy White
Die-Casting
Aluminium
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP54

BULB EXCLUDED

—
L: 8.6
W: 8.6
H: 9 cm





BLADE
— 9232116

Sandy White
Aluminium
LED · 12 Watt
220-240 Vac
720Lm · 3000K
IP65

—
D: 7.8
H: 7.5cm



BLADE
— 9232116



7.8
7.5

BLADE
— 9232115



BLADE
— 9232115

Sandy Black
Aluminium
LED · 12 Watt
220-240 Vac
720Lm · 3000K
IP65

—
D: 7.8
H: 7.5cm



BLADE
— 9232119

Sandy White
Aluminium
LED · 12 Watt
220-240 Vac
720Lm · 3000K
IP65

—
D: 8.5
H: 5.4 cm



BLADE
— 9232119



8.5
5.4

BLADE
— 9232120



BLADE
— 9232120

Sandy Black
Aluminium
LED · 12 Watt
220-240 Vac
720Lm · 3000K
IP65

—
D: 8.5
H: 5.4 cm



BLADE
— 9232117

Sandy White
Aluminium
LED · 12 Watt
220-240 Vac
720Lm · 3000K
IP65

—
D: 9
H: 4.7 cm



BLADE
— 9232117



9
4.7

BLADE
— 9232118



BLADE
— 9232118

Sandy Black
Aluminium
LED · 12 Watt
220-240 Vac
720Lm · 3000K
IP65

—
D: 9
H: 4.7 cm



Portable Lights

Our portable lights offer flexible illumination for any outdoor setting, combining convenience with functionality. Ideal for enhancing both home environments and professional spaces like restaurants and bars, they create inviting atmospheres with their warm glow and enhance any space





PUK
— 9136400



PUK
— 9136401



PUK
— 9136402



PUK
— 9136403



PUK
— 9136404



BASE
— 9136405



Press switch



Charging time	Working Time
5 Hrs	10-120 Hrs

- ! Memory of brightness & color temperature
- Low battery alert

PUK
— 9136400

[Touch Dimmable]
Sandy Black
Aluminium
& Polycarbonate
LED · 2 Watt
5 Vdc · 114Lm
CCT
2200-2700-3000K
IP54

Press Switch on/off
Include single
charging base

D: 10
H: 11.4 cm



PUK
— 9136401

[Touch Dimmable]
Sandy White
Aluminium
& Polycarbonate
LED · 2 Watt
5 Vdc · 114Lm
CCT
2200-2700-3000K
IP54

Press Switch on/off
Include single
charging base

D: 10
H: 11.4 cm



PUK
— 9136402

[Touch Dimmable]
Sage Green
Aluminium
& Polycarbonate
LED · 2 Watt
5 Vdc · 114Lm
CCT
2200-2700-3000K
IP54

Press Switch on/off
Include single
charging base

D: 10
H: 11.4 cm



PUK
— 9136403

[Touch Dimmable]
Sand
Aluminium
& Polycarbonate
LED · 2 Watt
5 Vdc · 114Lm
CCT
2200-2700-3000K
IP54

Press Switch on/off
Include single
charging base

D: 10
H: 11.4 cm



PUK
— 9136404

[Touch Dimmable]
Orange
Aluminium
& Polycarbonate
LED · 2 Watt
5 Vdc · 114Lm
CCT
2200-2700-3000K
IP54


Press Switch on/off
Include single
charging base

D: 10
H: 11.4 cm



BASE
— 9136405

Charging Base
for six products
Sandy Black Acrylic
100-240Vac
—
L: 46
W: 33
H: 4 cm
Cable Length: 150 cm





GRIGIO
— 9136452

[Touch Dimmable]
Sandy Black
Aluminium
& Polycarbonate
LED · 2 Watt
5 Vdc · 122Lm
CCT
2200-2700-3000K
IP54
Switch on/off
Include single
charging base

D: 10.1
H: 19.7 cm



GRIGIO
— 9136453

[Touch Dimmable]
Sandy White
Aluminium
& Polycarbonate
LED · 2 Watt
5 Vdc · 122Lm
CCT
2200-2700-3000K
IP54
Switch on/off
Include single
charging base

D: 10.1
H: 19.7 cm



GRIGIO
— 9136454

[Touch Dimmable]
Sage Green
Aluminium
& Polycarbonate
LED · 2 Watt
5 Vdc · 122Lm
CCT
2200-2700-3000K
IP54
Switch on/off
Include single
charging base

D: 10.1
H: 19.7 cm



GRIGIO
— 9136455


[Touch Dimmable]
Sand
Aluminium
& Polycarbonate
LED · 2 Watt
5 Vdc · 122Lm
CCT
2200-2700-3000K
IP54
Switch on/off
Include single
charging base

D: 10.1
H: 19.7 cm



BASE
— 9136405

Charging Base
for six products
Sandy Black Acrylic
100-240 Vac
—
L: 46
W: 33
H: 4 cm
Cable Length: 150 cm



GRIGIO
— 9136452



GRIGIO
— 9136453



GRIGIO
— 9136454



GRIGIO
— 9136455



Charging time	Working Time
5 Hrs	10-120 Hrs

- ! Memory of brightness & color temperature
- Low battery alert





ELBO
— 9030133



ELBO
— 9030134



ELBO
— 9030135



ELBO
— 9030136



ELBO
— 9030137

ELBO
— 9030133

[Touch Dimmable]
Sandy Black
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 99Lm
3000K · IP54
Switch on/off
USB wire

—
D: 9
H: 17 cm



ELBO
— 9030134

[Touch Dimmable]
Sandy White
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 99Lm
3000K · IP54
Switch on/off
USB wire

—
D: 9
H: 17 cm



ELBO
— 9030135

[Touch Dimmable]
Corten
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 99Lm
3000K · IP54
Switch on/off
USB wire

—
D: 9
H: 17 cm



ELBO
— 9030136

[Touch Dimmable]
Olive
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 99Lm
3000K · IP54
Switch on/off
USB wire

—
D: 9
H: 17 cm



ELBO
— 9030137

[Touch Dimmable]
Cream
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 99Lm
3000K · IP54
Switch on/off
USB wire

—
D: 9
H: 17 cm





YCRO
— 9030138



YCRO
— 9030139



YCRO
— 9030140



YCRO
— 9030141



YCRO
— 9030142

YCRO
— 9030138

[Touch Dimmable]
Dark Anthracite
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 60Lm
3000K · IP54
Switch on/off
USB wire

D: 8
H: 17.5 cm



YCRO
— 9030139

[Touch Dimmable]
Sandy White
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 60Lm
3000K · IP54
Switch on/off
USB wire

D: 8
H: 17.5 cm



YCRO
— 9030140

[Touch Dimmable]
Corten
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 60Lm
3000K · IP54
Switch on/off
USB wire

D: 8
H: 17.5 cm



YCRO
— 9030141

[Touch Dimmable]
Olive
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 60Lm
3000K · IP54
Switch on/off
USB wire

D: 8
H: 17.5 cm



YCRO
— 9030142

[Touch Dimmable]
Cream
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 60Lm
3000K · IP54
Switch on/off
USB wire

D: 8
H: 17.5 cm






DALT
— 9030143



DALT
— 9030144



DALT
— 9030145



DALT
— 9030146



DALT
— 9030147

DALT
— 9030143

[Touch Dimmable]
Sandy Black
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 1 Watt
3.7 Vdc · 60Lm
3000K · IP54
Switch on/off
USB wire

—
D: 9.5
H: 25 cm



DALT
— 9030144

[Touch Dimmable]
Sandy White
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 1 Watt
3.7 Vdc · 60Lm
3000K · IP54
Switch on/off
USB wire

—
D: 9.5
H: 25 cm



DALT
— 9030145

[Touch Dimmable]
Corten
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 1 Watt
3.7 Vdc · 60Lm
3000K · IP54
Switch on/off
USB wire

—
D: 9.5
H: 25 cm



DALT
— 9030146

[Touch Dimmable]
Olive
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 1 Watt
3.7 Vdc · 60Lm
3000K · IP54
Switch on/off
USB wire

—
D: 9.5
H: 25 cm



DALT
— 9030147

[Touch Dimmable]
Cream
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 1 Watt
3.7 Vdc · 60Lm
3000K · IP54
Switch on/off
USB wire

—
D: 9.5
H: 25 cm



ROUND HEAD		SQUARE HEAD		BASES			COMPATIBILITY
LUMO — 9030607		LUMO — 9030612		LUMO — 9030617	LUMO — 9030618	LUMO — 9030619	All round & square heads are compatible with bases: — 9030617 — 9030618 — 9030619 — 9030620 — 9030621
LUMO — 9030608		LUMO — 9030613					
LUMO — 9030609		LUMO — 9030614					
LUMO — 9030610		LUMO — 9030615		LUMO — 9030620	LUMO — 9030621		
LUMO — 9030611		LUMO — 9030616					



LUMO
— 9030617

[Touch Dimmable]
Sandy Black
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 120Lm
3000K · IP54
Switch on/off
USB wire

—
D: 12
H: 33.2 cm



LUMO
— 9030618

[Touch Dimmable]
Sandy White
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 120Lm
3000K · IP54
Switch on/off
USB wire

—
D: 12
H: 33.2 cm



LUMO
— 9030619

[Touch Dimmable]
Corten
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 120Lm
3000K · IP54
Switch on/off
USB wire

—
D: 12
H: 33.2 cm



LUMO
— 9030620

[Touch Dimmable]
Dark Gray
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 120Lm
3000K · IP54
Switch on/off
USB wire

—
D: 12
H: 33.2 cm



LUMO
— 9030621

[Touch Dimmable]
Olive Green
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 120Lm
3000K · IP54
Switch on/off
USB wire

—
D: 12
H: 33.2 cm





**CHARGING
BASE**
— 9030622




Charging Base for one product
Combine with codes:
9030617, 9030618, 9030619,
9030620, 9030621

**CHARGING
BASE**
— 9030623



Charging Base for six products
Combine with codes:
9030617, 9030618, 9030619,
9030620, 9030621



L: 42.5 W: 27 H: 3.5 cm






ROSE
— 9281380

[Touch Dimmable]
Sandy White
Aluminium
& Acrylic
LED · 2 Watt
3.7 Vdc · 207Lm
3000K · IP54
—
D: 11.5
W: 11.8
H: 32 cm



ROSE
— 9281381

[Touch Dimmable]
Sandy Black
Aluminium
& Acrylic
LED · 2 Watt
3.7 Vdc · 207Lm
3000K · IP54
—
D: 11.5
W: 11.8
H: 32 cm




WORKING TIME		Charge: 4.5 hrs
100% of light	5% of light	
7-8 Hrs	280 Hrs	



FUMO
— 9002863



FUMO
— 9002864



FUMO
— 9492441



WORKING TIME			Charge: 7-10 hrs
100% of light	40% of light	10% of light	
4 Hrs	10 Hrs	50 Hrs	



FUMO
— 9002863

[Touch Dimmable]
Sandy White
Aluminium
& Acrylic
LED · 2 Watt
3.7 Vdc · 230Lm
3000K · IP54
Switch on/off
USB Wire
—
D: 11.8
H: 30 cm



FUMO
— 9002864

[Touch Dimmable]
Dark Black
& Acrylic
LED · 2 Watt
3.7 Vdc · 230Lm
3000K · IP54
Switch on/off
USB Wire
—
D: 11.8
H: 30 cm



FUMO
— 9492441

[Touch Dimmable]
Sandy Black
Die-Casting
Aluminium
& Frost Acrylic
LED · 2 Watt
3.7 Vdc · 280Lm
3000K · IP54
Switch on/off
USB Wire
—
D: 19
H: 38 cm





DECK
— 9030561

[Touch Dimmable]
Dark Anthracite
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 121Lm
3000K · IP54
Switch on/off
USB wire

—
D: 8.5
H: 30 cm



DECK
— 9030561



DECK
— 9030562

[Touch Dimmable]
Sandy White
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 121Lm
3000K · IP54
Switch on/off
USB wire

—
D: 8.5
H: 30 cm



DECK
— 9030562



DECK
— 9030563

[Touch Dimmable]
Corten Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 121Lm
3000K · IP54
Switch on/off
USB wire

—
D: 8.5
H: 30 cm



DECK
— 9030563



DECK
— 9030564

[Touch Dimmable]
Olive Green
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 121Lm
3000K · IP54
Switch on/off
USB wire

—
D: 8.5
H: 30 cm



DECK
— 9030564



PETIT
— 9030711

[Touch Dimmable]
White Aluminium
LED · 2 Watt · 3.7 Vdc
101Lm · 3000K · IP54
Switch on/off

—
D: 7
H: 28 cm



PETIT
— 9030711



PETIT
— 9030712

[Touch Dimmable]
Sandy Black Aluminium
LED · 2 Watt · 3.7 Vdc
101Lm · 3000K · IP54
Switch on/off

—
D: 7
H: 28 cm



PETIT
— 9030712



PETIT
— 9030713

[Touch Dimmable]
Corten Aluminium
LED · 2 Watt · 3.7 Vdc
101Lm · 3000K · IP54
Switch on/off

—
D: 7
H: 28 cm



PETIT
— 9030713



PETIT
— 9030714

[Touch Dimmable]
Olive Green
Aluminium
LED · 2 Watt · 3.7 Vdc
101Lm · 3000K · IP54
Switch on/off

—
D: 7
H: 28 cm



PETIT
— 9030714




PETIT
— 9030715

[Touch Dimmable]
Dark Anthracite
Aluminium
LED · 2 Watt · 3.7 Vdc
101Lm · 3000K · IP54
Switch on/off

—
D: 7
H: 28 cm



PETIT
— 9030715



! Include charging base





D: 11.4
H: 39.5

WORKING TIME	Charge: 4.5 hrs
100% of light	50% of light
10 Hrs	20 Hrs

SEINA
— 9223403



SEINA
— 9223403

[Touch Dimmable]
Corten
Aluminium
& Acrylic
LED · 2 Watt
5 Vdc · 192Lm
2700K · IP54
Switch on/off
USB Type C Wire
Rechargeable with
PG base

D: 11.4
H: 39.5 cm



SEINA
— 9223404



SEINA
— 9223404

[Touch Dimmable]
Basalt Gray
Aluminium
& Acrylic
LED · 2 Watt
5 Vdc · 192Lm
2700K · IP54
Switch on/off
USB Type C Wire
Rechargeable with
PG base

D: 11.4
H: 39.5 cm



SEINA
— 9223405



SEINA
— 9223405

[Touch Dimmable]
Olive Green
Aluminium
& Acrylic
LED · 2 Watt
5 Vdc · 192Lm
2700K · IP54
Switch on/off
USB Type C Wire
Rechargeable with
PG base

D: 11.4
H: 39.5 cm



SEINA
— 9223406



SEINA
— 9223406

[Touch Dimmable]
Sandy Black
Aluminium
& Acrylic
LED · 2 Watt
5 Vdc · 192Lm
2700K · IP54
Switch on/off
USB Type C Wire
Rechargeable with
PG base

D: 11.4
H: 39.5 cm



SEINA
— 9223407



SEINA
— 9223407

[Touch Dimmable]
Sandy White
Aluminium
& Acrylic
LED · 2 Watt
5 Vdc · 192Lm
2700K · IP54
Switch on/off
USB Type C Wire
Rechargeable with
PG base

D: 11.4
H: 39.5 cm



BASE
— 9223408

Sandy Black
Aluminium
PG Recharging




ADAPTOR
— 9223410

Black adaptor 5V 2A



ADAPTOR
— 9223409

Black adaptor 5V 2A



WORKING TIME	Charge: 7-8 hrs
100% of light	5% of light
8-9 Hrs	280 Hrs



COLT
— 9223412

COLT
— 9223412

[Touch Dimmable]
Corten
Die-Casting
Aluminium & Acrylic
LED · 2 Watt
3.7 Vdc · 132Lm
3000K · IP54
USB wire

—
D: 8
H: 30 cm



COLT
— 9223413

COLT
— 9223413

[Touch Dimmable]
Basalt Gray
Die-Casting
Aluminium & Acrylic
LED · 2 Watt
3.7 Vdc · 132Lm
3000K · IP54
USB wire

—
D: 8
H: 30 cm



COLT
— 9223411

COLT
— 9223411

[Touch Dimmable]
Dark Anthracite
Die-Casting
Aluminium & Acrylic
LED · 2 Watt
3.7 Vdc · 132Lm
3000K · IP54
USB wire

—
D: 8
H: 30 cm



COLT
— 9223414

COLT
— 9223414

[Touch Dimmable]
Olive Green
Die-Casting
Aluminium & Acrylic
LED · 2 Watt
3.7 Vdc · 132Lm
3000K · IP54
USB wire

—
D: 8
H: 30 cm



COLT
— 9223415

COLT
— 9223415

[Touch Dimmable]
Sandy White
Die-Casting
Aluminium & Acrylic
LED · 2 Watt
3.7 Vdc · 132Lm
3000K · IP54
USB wire

—
D: 8
H: 30 cm



ADAPTOR
— 9223410


White adaptor 5V 2A



ADAPTOR
— 9223409

Black adaptor 5V 2A





WORKING TIME		Charge: 7-8 hrs
100% of light	8-9 Hrs	5% of light
		280 Hrs



COLT
— 9223997

[Touch Dimmable]
Basalt Gray
Die-Casting
Aluminium & Acrylic
LED · 2 Watt
3.7 Vdc · 207Lm
3000K · IP54
USB wire

—
D: 11
W: 10
H: 38 cm



COLT
— 9223998

[Touch Dimmable]
Olive Green
Die-Casting
Aluminium & Acrylic
LED · 2 Watt
3.7 Vdc · 207Lm
3000K · IP54
USB wire

—
D: 11
W: 10
H: 38 cm



COLT
— 9223999

[Touch Dimmable]
Corten
Die-Casting
Aluminium & Acrylic
LED · 2 Watt
3.7 Vdc · 207Lm
3000K · IP54
USB wire

—
D: 11
W: 10
H: 38 cm



COLT
— 9121911

[Touch Dimmable]
Sandy White
Die-Casting
Aluminium & Acrylic
LED · 2 Watt
3.7 Vdc · 207Lm
3000K · IP54
USB wire

—
D: 11
W: 10
H: 38 cm



COLT
— 9121912

[Touch Dimmable]
Dark Anthracite
Die-Casting
Aluminium & Acrylic
LED · 2 Watt
3.7 Vdc · 207Lm
3000K · IP54
USB wire

—
D: 11
W: 10
H: 38 cm



ADAPTOR
— 9223409

Black adaptor 5V 2A



ADAPTOR
— 9223410

White adaptor 5V 2A





JIGRA
— 9002876

[Touch Dimmable]
Dark Anthracite
Aluminium
& Acrylic
LED · 2 Watt
3.7 Vdc · 200Lm
3000K · IP54
USB wire

—
D: 16
W: 16
H: 22.8 cm



JIGRA
— 9002877

[Touch Dimmable]
Dark Anthracite
Aluminium
& Acrylic
LED · 2 Watt
3.7 Vdc · 210Lm
3000K · IP54
USB wire

—
D: 16
W: 16
H: 22 cm



JIGRA
— 9002876



Charging
time: 3 Hrs

JIGRA
— 9002877



VERHAL
— 9002862

[Touch Dimmable]
Dark Anthracite
Aluminium
& Clear Glass
LED · 2 Watt
3.7 Vdc · 200Lm
3000K · IP54
Solar light
Switch on/off
USB wire

—
L: 16
W: 16
H: 47.5 cm



VERHAL
— 9002862



VERHAL
— 9002861



WORKING TIME		Charge: 7-10 hrs
100% of light	40% of light	10% of light
4 Hrs	10 Hrs	50 Hrs





LUCIA
— 9176103

Sandy White
Aluminium
LED · 4 Watt
3.7 Vdc · 223Lm
3000K · IP54
Switch on/off
USB wire

L: 12
W: 12
H: 30 cm



LUCIA
— 9176103



LUCIA
— 9176104

Sandy Black
Aluminium
LED · 4 Watt
3.7 Vdc · 223Lm
3000K · IP54
Switch on/off
USB wire

L: 12
W: 12
H: 30 cm



LUCIA
— 9176104




TEGOLO
— 9136432

Sandy White
Aluminium & Glass
LED · 2 Watt
5 Vdc · 231Lm
3000K · IP54
Solar light
USB wire
Wall Base Included

L: 15.1
W: 16.6
H: 39.2 cm



TEGOLO
— 9136432



TEGOLO
— 9136431

Dark Anthracite
Aluminium & Glass
LED · 2 Watt
5 Vdc · 231Lm
3000K · IP54
Solar light
USB wire
Wall Base Included

L: 15.1
W: 16.6
H: 39.2 cm



TEGOLO
— 9136431



- Stepless dimmable
- Memory of brightness
- Low battery alert

CHARGING TIME

Solar	USB Type-C
19 Hrs	5 Hrs

- The two modes can be switched:
 - 1) Basic mode: touch switch, working time: 10-120 hrs
 - 2) Twilight sensor mode: automatically light up at night





BALI
— 9922360

[Touch Dimmable]
Dark Anthracite
Die-Casting
Aluminium
LED · 2 Watt
3.7Vdc · 399Lm
3000K · IP65
Solar Light
Switch on/off

L: 18
W: 18
H: 35 cm



BALI
— 9922510

[Touch Dimmable]
Dark Anthracite
Die-Casting
Aluminium
LED · 2 Watt
3.7Vdc · 399Lm
3000K · IP65
Solar Light
Switch on/off

L: 18
W: 18
H: 51 cm




BALI
— 9922360



CHARGING TIME

Solar	USB
3 Days	4-5 Hrs

BALI
— 9922510




MOCHA
— 9492700



FIGI
— 9922350



FIGI
— 9923500



Charging Time
4-5 Hrs

MOCHA
— 9492700

[Touch Dimmable]
Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 2 Watt
3.7 Vdc · 191Lm
3000K · IP54
Switch on/off
USB wire

—
D: 15
H: 35 cm



FIGI
— 9922350

[Touch Dimmable]
Dark Anthracite
Die-Casting
Aluminium
LED · 2 Watt
3.7 Vdc · 207Lm
3000K · IP65
Switch on/off
USB wire


—
L: 14.5
W: 14.5
H: 35 cm



FIGI
— 9923500

[Touch Dimmable]
Dark Anthracite
Die-Casting
Aluminium
LED · 2 Watt
3.7 Vdc · 271Lm
3000K · IP65
Switch on/off
USB wire

—
L: 14.5
W: 14.5
H: 50 cm





PERSEA
— 9030625

[Touch Dimmable]
Dark Anthracite
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 181Lm
3000K · IP54
Switch on/off
USB wire

—
D: 11.5
H: 115 cm






PERSEA
— 9030625



Step Lights

Our step lights enhance safety and style, illuminating stairs and pathways with a subtle, effective glow. Perfect for creating secure and visually appealing spaces, they combine functionality with elegant design





PAN
— 9030932

Dark Anthracite
Aluminium
& Glass
LED · 9 Watt
220-240 Vac
378Lm · 3000K
IP54

Backlight

—
D: 15
W: 7 cm



PAN
— 9030932



PAN
— 9030933



PAN
— 9030933

Corten
Aluminium
& Glass
LED · 9 Watt
220-240 Vac
378Lm · 3000K
IP54

Backlight

—
D: 15
W: 7 cm



BRIGI
— 9020927

Dark Gray
Alluminium
Acrylic Cover
& Diffuser
LED · 1 Watt
220-240 Vac
159Lm · 3000K
IP65

—
D: 11
W: 3.1



BRIGI
— 9020927



ARNE
— 9492680



ARNE
— 9492680

Dark Anthracite
Die-Casting
Aluminium
& Acrylic
LED · 2 Watt
220-240 Vac
39Lm · 3000K
IP54

Beam angle 46°

—
D: 12
W: 2.9





RODIX
— 9136437

Sandy Black
Aluminium
& Polycarbonate
LED · 5 Watt
220-240 Vac
307Lm · 3000K
IP54

—
D: 16
W: 3.1 cm



RODIX
— 9136437



FEM
— 9136440



FEM
— 9136440

Sandy Black
Aluminium
& Polycarbonate
LED · 5 Watt
220-240 Vac
307Lm · 3000K
IP54

—
L: 16
W: 2.7
H: 16 cm



RODIX
— 9136438

Sandy White
Aluminium
& Polycarbonate
LED · 5 Watt
220-240 Vac
307Lm · 3000K
IP54

—
D: 16
W: 3.1 cm



RODIX
— 9136438



FEM
— 9136441



FEM
— 9136441

Sandy White
Aluminium
& Polycarbonate
LED · 5 Watt
220-240 Vac
307Lm · 3000K
IP54

—
L: 16
W: 2.7
H: 16 cm



RODIX
— 9136439

Corten
Aluminium
& Polycarbonate
LED · 5 Watt
220-240 Vac
307Lm · 3000K
IP54

—
D: 16
W: 3.1 cm



RODIX
— 9136439



FEM
— 9136442



FEM
— 9136442

Corten
Aluminium
& Polycarbonate
LED · 5 Watt
220-240 Vac
307Lm · 3000K
IP54

—
L: 16
W: 2.7
H: 16 cm





NECTAR
— 9030838

Dark Anthracite
Aluminium
& Polycarbonate
Diffuser
LED · 3 Watt
100-240 Vac
115Lm · 3000K
IP65

D: 12
W: 2.8 cm



NECTAR
— 9030840

Dark Anthracite
Aluminium
& Polycarbonate
Diffuser
LED · 3 Watt
100-240 Vac
159Lm · 3000K
IP65

L: 11
W: 3
H: 11 cm



TOBY
— 9030813

Sandy Black
Aluminium
& Polycarbonate
Diffuser
LED · 3 Watt
220-240 Vac
99Lm · 3000K
IP54

D: 11
W: 2.2 cm



TOBY
— 9030811

Sandy Black
Aluminium
& Polycarbonate
Diffuser
LED · 3 Watt
220-240 Vac
91Lm · 3000K
IP54

L: 10.5
W: 2.2
H: 10.5 cm



NECTAR
— 9030838



NECTAR
— 9030839



NECTAR
— 9030840



NECTAR
— 9030841



TOBY
— 9030813



TOBY
— 9030814



TOBY
— 9030811



TOBY
— 9030812



NECTAR
— 9030839

Sandy White
Aluminium
& Polycarbonate
Diffuser
LED · 3 Watt
100-240 Vac
115Lm · 3000K
IP65

D: 12
W: 2.8 cm



NECTAR
— 9030841

Sandy White
Aluminium
& Polycarbonate
Diffuser
LED · 3 Watt
100-240 Vac
159Lm · 3000K
IP65

L: 11
W: 3
H: 11 cm



TOBY
— 9030814

Sandy White
Aluminium
& Polycarbonate
Diffuser
LED · 3 Watt
220-240 Vac
99Lm · 3000K
IP54

D: 11
W: 2.2 cm




TOBY
— 9030812

Sandy White
Aluminium
& Polycarbonate
Diffuser
LED · 3 Watt
220-240 Vac
91Lm · 3000K
IP54

L: 10.5
W: 2.2
H: 10.5 cm





SUB
— 9136416

Sandy Black
Aluminium
& Polycarbonate
LED · 5 Watt
220-240 Vac
225Lm · 3000K
IP65

L: 13.5
W: 3.5
H: 8.5 cm



SUB
— 9136417

Sandy White
Aluminium
& Polycarbonate
LED · 5 Watt
220-240 Vac
225Lm · 3000K
IP65

L: 13.5
W: 3.5
H: 8.5 cm



SUB
— 9136418

Corten
Aluminium
& Polycarbonate
LED · 5 Watt
220-240 Vac
225Lm · 3000K
IP65


L: 13.5
W: 3.5
H: 8.5 cm



SUB
— 9136416



SUB
— 9136417



SUB
— 9136418





VISION
— 9492690

Dark Anthracite
Die-Casting
Aluminium
& Acrylic
LED · 2 Watt
220-240 Vac
34Lm · 3000K
IP54
Beam angle 46°
—
L: 10
W: 2.9
H: 6.7 cm

VISION
— 9492690



RIO
— 9492670

Dark Anthracite
Die-Casting
Aluminium
& Glass
LED · 6 Watt
220-240 Vac
122Lm · 3000K
IP65
—
L: 22.7
W: 3.5
H: 12.7 cm

RIO
— 9492670



LIV
— 9018062

Dark Gray
Die-Casting
Aluminium
& Glass Diffuser
LED · 4 Watt
200-240 Vac
245Lm · 3000K
IP54
—
L: 13
W: 3
H: 5.5 cm



LIV
— 9018062




LIV
— 9018061



LIV
— 9018061

Sandy White
Die-Casting
Aluminium
& Glass Diffuser
LED · 4 Watt
200-240 Vac
245Lm · 3000K
IP54
—
L: 13
W: 3
H: 5.5 cm





PASSO
— 9136410

Sandy Black
Aluminium
& Polycarbonate
LED · 3 Watt
220-240 Vac
130Lm · 3000K
IP65
Light down
—
D: 12
W: 4 cm



PASSO
— 9136410



PASSO
— 9136413



PASSO
— 9136413

Sandy Black
Aluminium
& Polycarbonate
LED · 4 Watt
220-240 Vac
186Lm · 3000K
IP65
Light up & down
—
D: 12
W: 4 cm



PASSO
— 9136411

Sandy White
Aluminium
& Polycarbonate
LED · 3 Watt
220-240 Vac
130Lm · 3000K
IP65
Light down
—
D: 12
W: 4 cm



PASSO
— 9136411



PASSO
— 9136414



PASSO
— 9136414

Sandy White
Aluminium
& Polycarbonate
LED · 4 Watt
220-240 Vac
186Lm · 3000K
IP65
Light up & down
—
D: 12
W: 4 cm



PASSO
— 9136412

Corten
Aluminium
& Polycarbonate
LED · 3 Watt
220-240 Vac
130Lm · 3000K
IP65
Light down
—
D: 12
W: 4 cm



PASSO
— 9136412



PASSO
— 9136415



PASSO
— 9136415

Corten
Aluminium
& Polycarbonate
LED · 4 Watt
220-240 Vac
186Lm · 3000K
IP65
Light up & down
—
D: 12
W: 4 cm





SANGO
— 9136433

Sandy Black
Aluminium
& Glass
LED · 4 Watt
220-240 Vac
102Lm · 3000K
IP54
—
L: 10
W: 3.5
H: 8.5 cm



SANGO
— 9136434

Sandy White
Aluminium
& Glass
LED · 4 Watt
220-240 Vac
102Lm · 3000K
IP54
—
L: 10
W: 3.5
H: 8.5 cm



SANGO
— 9136435

Dark Gray
Aluminium
& Glass
LED · 4 Watt
220-240 Vac
102Lm · 3000K
IP54
—
L: 10
W: 3.5
H: 8.5 cm



SANGO
— 9136436


Corten
Aluminium
& Glass
LED · 4 Watt
220-240 Vac
102Lm · 3000K
IP54
—
L: 10
W: 3.5
H: 8.5 cm



SANGO
— 9136433



SANGO
— 9136434



SANGO
— 9136435



SANGO
— 9136436



SOREN
— 9050726



SOREN
— 9050727



SOREN
— 9050728



SOREN
— 9050726

Sandy Black
Aluminium
& Polycarbonate
LED · 3 Watt
220-240 Vac
144Lm · 2700K
IP65
—
L: 4
W: 5.8
H: 9.7 cm




SOREN
— 9050727

Sandy White
Aluminium
& Polycarbonate
LED · 3 Watt
220-240 Vac
144Lm · 2700K
IP65
—
L: 4
W: 5.8
H: 9.7 cm



SOREN
— 9050728

Corten
Aluminium
& Polycarbonate
LED · 3 Watt
220-240 Vac
144Lm · 2700K
IP65
—
L: 4
W: 5.8
H: 9.7 cm



APPIA

— 9030597

Dark Anthracite
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 5 Watt
220-240 Vac
367Lm · 3000K
IP54

L: 12.5
W: 3.8
H: 12.5 cm



APPIA
— 9030597



APPIA
— 9030598



APPIA

— 9030598

Corten
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 5 Watt
220-240 Vac
367Lm · 3000K
IP54

L: 12.5
W: 3.8
H: 12.5 cm



APPIA
— 9030599



APPIA
— 9030600



APPIA

— 9030599

Dark Anthracite
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 5 Watt
220-240 Vac
350Lm · 3000K
IP54

L: 8.5
W: 3.8
H: 20 cm



APPIA

— 9030600

Corten
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 5 Watt
220-240 Vac
350Lm · 3000K
IP54

L: 8.5
W: 3.8
H: 20 cm





LUTON
— 8403624



KRYPTON
— 726408



LUTON
— 8403626



KRYPTON
— 752250



LUTON
— 8403622



KRYPTON
— 710446



LUTON
— 8403624

Dark Gray ABS
LED · 1 Watt
100-220 Vac
145Lm · 3000K
IP65

L: 12.5
W: 3.3
H: 12.5 cm



LUTON
— 8403626

Dark Gray ABS
LED · 1 Watt
100-220 Vac
150Lm · 3000K
IP65

L: 12.5
W: 3.3
H: 8.3 cm



LUTON
— 8403622

Dark Gray ABS
LED · 2 Watt
100-220 Vac
212Lm · 3000K
IP65

L: 23
W: 3.3
H: 8 cm



KRYPTON
— 726408

Dark Gray Aluminium
LED · 3 Watt
220-240 Vac
270Lm · 3000K
IP54

Beam angle 15°
L: 8.5
W: 5
H: 8.5 cm



KRYPTON
— 752250

Dark Gray Aluminium
LED · 6 Watt
220-240 Vac
751Lm · 3000K
IP54

Beam angle 32°
L: 15
W: 7.5
H: 15 cm



KRYPTON
— 710446

Dark Gray Aluminium & Glass
LED · 6 Watt
220-240 Vac
480Lm · 3000K
IP54

Beam angle 31°
D: 16
W: 9.6 cm





PULSAR
— 812103



PULSAR
— 812104



PULSAR
— 811501



PULSAR
— 812302




PULSAR
— 811201



PULSAR
— 812102



PULSAR
— 811502



PULSAR
— 812103

Dark Gray ABS
Acrylic
& White Diffuser
LED · 6 Watt
220-240 Vac
683Lm · 3000K
IP54

—
L: 23
W: 10
H: 6.5 cm



PULSAR
— 812104

Dark Gray ABS
Acrylic
& White Diffuser
LED · 6 Watt
220-240 Vac
480Lm · 3000K
IP54

—
L: 23
W: 10
H: 6.7 cm



PULSAR
— 811501

Dark Gray ABS
Acrylic
& White Diffuser
LED · 4 Watt
220-240 Vac
557Lm · 3000K
IP54

—
L: 23
W: 3
H: 8 cm



PULSAR
— 812302

Dark Gray ABS
LED · 4 Watt
220-240 Vac
527Lm · 3000K
IP54

—
L: 14
W: 3
H: 14 cm



PULSAR
— 811201

Dark Gray ABS
LED · 2 Watt
220-240 Vac
269Lm · 3000K
IP54

—
L: 12
W: 3
H: 12 cm



PULSAR
— 812102

Dark Gray ABS
LED · 4 Watt
220-240 Vac
462Lm · 3000K
IP54

—
L: 23
W: 3
H: 10 cm




PULSAR
— 811502

Dark Gray ABS
LED · 2 Watt
220-240 Vac
365Lm · 3000K
IP54

—
L: 23
W: 3
H: 8 cm





FINLO
— 9117080

Gray Sandstone
Cement
IP65
—
L: 10
W: 1.7
H: 10 cm

FINLO
— 9117086

Gray Sandstone
Cement
IP65
—
L: 10
W: 1.7
H: 10 cm

FINLO
— 9117084

Gray Sandstone
Cement
IP65
—
L: 10
W: 1.7
H: 10 cm

FINLO
— 9117080



FINLO
— 9117086



FINLO
— 9117084



SOURCE
— 9117082

Gray Aluminium
LED · 4 Watt
220-240 Vac
112Lm · 3000K
IP65
HEP DRIVER
Compatible with:
**9117080, 9117084,
9117086**

—
L: 6.5
W: 6.7
H: 3.9 cm



SOURCE
— 9117082



MORIS
— 9186703

Gray Cement
LED · 8 Watt
220-240 Vac
418Lm · 3000K
IP65
—
L: 20
W: 9
H: 21.5 cm



MORIS
— 9186703



KRYPTON
— 726403

Sandy White
Aluminium
LED · 2 Watt
220-240 Vac
95Lm · 3000K
IP54

Beam angle 17°

L: 8.5
W: 8
H: 5.5cm
Cut Out: 8.1x4.2 cm



KRYPTON
— 726403



KRYPTON
— 726404



KRYPTON
— 726404

Dark Gray
Aluminium
LED · 2 Watt
220-240 Vac
95Lm · 3000K
IP54

Beam angle 17°

L: 8.5
W: 8
H: 5.5cm
Cut Out: 8.1x4.2 cm



KRYPTON
— 726402

Sandy White
Aluminium
LED · 3 Watt
220-240 Vac
353Lm · 3000K
IP54

Beam angle 15°

L: 11
W: 6
H: 7 cm
Cut Out: 10.2x6.5 cm



KRYPTON
— 726402



KRYPTON
— 726401



KRYPTON
— 726401

Dark Gray
Aluminium
LED · 3 Watt
220-240 Vac
353Lm · 3000K
IP54

Beam angle 15°

L: 11
W: 6
H: 7 cm
Cut Out: 10.2x6.5 cm



KRYPTON
— 726405

Sandy White
Aluminium
LED · 3 Watt
220-240 Vac
202Lm · 3000K
IP54

Beam angle 17°

L: 13.5
W: 8
H: 5.5 cm
Cut Out: 12.7x4.5 cm



KRYPTON
— 726405



KRYPTON
— 726406



KRYPTON
— 726406

Dark Gray
Aluminium
LED · 3 Watt
220-240 Vac
202Lm · 3000K
IP54

Beam angle 17°

L: 13.5
W: 8
H: 5.5 cm
Cut Out: 12.7x4.5 cm



KRYPTON
— 727001

Sandy White
Aluminium
LED · 3 Watt
220-240 Vac
270Lm · 3000K
IP54

Beam angle 15°

L: 8
W: 7
H: 8 cm
Cut Out: 6.4x6.7 cm



KRYPTON
— 727001



KRYPTON
— 727002



KRYPTON
— 727002

Dark Gray
Aluminium
LED · 3 Watt
220-240 Vac
270Lm · 3000K
IP54

Beam angle 15°

L: 8
W: 7
H: 8 cm
Cut Out: 6.4x6.7 cm



ECHO
— 9030809

Sandy Black
Aluminium
& Polycarbonate
Diffuser
LED · 6 Watt
220-240 Vac
370Lm · 3000K
IP54

L: 17.6
W: 6.3
H: 6.25 cm
Cut out: 14.6x6.25 cm



ECHO
— 9030809



ECHO
— 9030810



ECHO
— 9030810

Sandy White
Aluminium
& Polycarbonate
Diffuser
LED · 6 Watt
220-240 Vac
370Lm · 3000K
IP54

L: 17.6
W: 6.3
H: 6.25 cm
Cut out: 14.6x6.25 cm



VIVION
— 9030819



VIVION
— 9030820



VIVION
— 9030819

Sandy Black Acrylic
& Polycarbonate
Diffuser
LED · 1 Watt
220-240 Vac
29Lm · 3000K
IP54

L: 10
W: 6.5
H: 5 cm
Cut out: 9x6.2 cm



VIVION
— 9030820

Sandy White Acrylic
& Polycarbonate
Diffuser
LED · 1 Watt
220-240 Vac
29Lm · 3000K
IP54

L: 10
W: 6.5
H: 5 cm
Cut out: 9x6.2 cm



OFF

— 9030776

Sandy Black
Aluminium,
Polycarbonate
& Glass
LED · 4 Watt
220-240 Vac
33Lm · 3000K
IP65

L: 17
W: 5.3
H: 7.6 cm
Cut Out: 16.1x7.1 cm



OFF

— 9030777

Sandy Black
Aluminium,
Polycarbonate
& Glass
LED · 6 Watt
220-240 Vac
79Lm · 3000K
IP65

L: 25.6
W: 5.3
H: 7.6 cm
Cut Out: 24.6x7 cm



POLKA

— 9030774

Sandy Black
Aluminium
& Glass
LED · 5 Watt
220-240 Vac
55Lm · 3000K
IP65

L: 17
W: 7.4
H: 7.6 cm
Cut Out: 16.1x7.1 cm




POLKA

— 9030775

Sandy Black
Aluminium
& Glass
LED · 7 Watt
220-240 Vac
73Lm · 3000K
IP65

L: 25
W: 7.4
H: 7.6 cm
Cut Out: 24.6x7 cm



POLKA
— 9030757



POLKA
— 9030760



POLKA
— 9030761



MONO
— 9026145



MONO
— 9026144



POLKA

— 9030757

Sandy Black
Aluminium
& Glass
LED · 3 Watt
220-240 Vac
31Lm · 3000K
IP65

Beam angle 48°

L: 8.5
W: 7.2
H: 8.5 cm
Cut out: 7.6x7.6 cm



POLKA

— 9030760

Sandy Black
Aluminium
& Glass
LED · 4 Watt
220-240 Vac
58Lm · 3000K
IP65

L: 12
W: 7.4
H: 8 cm
Cut out: 11x7 cm



POLKA

— 9030761

Sandy White
Aluminium
& Glass
LED · 4 Watt
220-240 Vac
58Lm · 3000K
IP65

L: 12
W: 7.4
H: 8 cm
Cut out: 11x7 cm



MONO

— 9026144

Sandy White
Aluminium
& Polycarbonate
LED · 3 Watt
220-240 Vac
70Lm · 3000K
IP65

L: 5.8
W: 4.5
H: 5.8 cm
Cut Out: 5x5 cm



MONO

— 9026145

Sandy Black
Aluminium
& Polycarbonate
LED · 3 Watt
220-240 Vac
70Lm · 3000K
IP65

L: 5.8
W: 4.5
H: 5.8 cm
Cut Out: 5x5 cm



RUDY

— 9030758

Sandy Black
Aluminium,
Polycarbonate
& Glass
LED · 3 Watt
220-240 Vac
203Lm · 3000K
IP65

L: 12
W: 4.7
H: 8 cm



RUDY
— 9030758



RUDY
— 9030759



RUDY

— 9030759

Sandy White
Aluminium,
Polycarbonate
& Glass
LED · 3 Watt
220-240 Vac
203Lm · 3000K
IP65

L: 12
W: 4.7
H: 8 cm



OLIN
— 9050705



OLIN
— 9050706



OLIN

— 9050705

Dark Anthracite
Aluminium
& Glass
LED · 3 Watt
220-240 Vac
186Lm · 3000K
IP65

L: 10.2
W: 5.8
H: 7.8 cm




OLIN

— 9050706

Sandy White
Aluminium
& Glass
LED · 3 Watt
220-240 Vac
186Lm · 3000K
IP65

L: 10.2
W: 5.8
H: 7.8 cm





AIZEN
— 9050707

Dark Anthracite
Aluminium
& Glass
LED · 3 Watt
220-240 Vac
170Lm · 3000K
IP65
Beam angle 6°
—
L: 5
W: 6.5 cm
H: 13.5
Cut Out: 12.6x4.2 cm



AIZEN
— 9050707



AIZEN
— 9026120

AIZEN
— 9026120

Sandy White
Aluminium
& Glass
LED · 3 Watt
100-240 Vac
170Lm · 3000K
IP54
Beam angle 6°
—
L: 5
W: 6.5 cm
H: 13.5
Cut Out: 12.6x4.2 cm



AIZEN
— 9050708

Dark Anthracite
Aluminium
& Glass
LED · 3 Watt
220-240 Vac
170Lm · 3000K
IP65
Beam angle 6°
—
L: 7
W: 5.6
H: 6.5 cm



AIZEN
— 9050708



AIZEN
— 9050709

AIZEN
— 9050709

Sandy White
Aluminium
& Glass
LED · 3 Watt
220-240 Vac
170Lm · 3000K
IP65
Beam angle 6°
—
L: 7
W: 5.6
H: 6.5 cm



AIZEN
— 9136185

Dark Anthracite
Aluminium
LED · 3 Watt
220-240 Vac
170Lm · 3000K
IP54
Beam angle 6°
—
D: 7
W: 6.5 cm
Cut Out: 5.5 cm



AIZEN
— 9136185



AIZEN
— 9136186

AIZEN
— 9136186

Sandy White
Aluminium
LED · 3 Watt
220-240 Vac
170Lm · 3000K
IP54
Beam angle 6°
—
D: 7
W: 6.5 cm
Cut Out: 5.5 cm



JOYA

— 9944141

Dark Anthracite
Aluminium
LED · 3 Watt
100-240 Vac
16Lm · 3000K
IP65

Beam angle 21°

—
D: 6
W: 4
Cut Out: 5.5 cm



JOYA

— 9944142

Dark Anthracite
Aluminium
LED · 3 Watt
100-240 Vac
23Lm · 3000K
IP65

Beam angle 19°

—
D: 6
W: 4
Cut Out: 5.5 cm




KRYPTON

— 726407

Dark Gray
Aluminium
LED · 3 Watt
220-240 Vac
96Lm · 3000K
IP54

Beam angle 27°

—
D: 8
W: 5.5 cm
Cut Out: 7.7 cm



CAEL

— 9050711 (2700K)
— 9050710 (3000K)

Dark Anthracite
Aluminium & Glass
LED · 3 Watt
220-240 Vac
2700K · 77Lm
3000K · 84Lm
IP65

Beam angle 50°

—
L: 7
W: 7.5
H: 7 cm



CAEL

— 9050713 (2700K)
— 9050712 (3000K)

Sandy White
Aluminium & Glass
LED · 3 Watt
220-240 Vac
2700K · 123Lm
3000K · 130Lm
IP65

Beam angle 50°

—
L: 7
W: 7.5
H: 7 cm



CIRCE

— 9136187

Dark Anthracite
Aluminium
LED · 3 Watt
220-240V
170Lm · 3000K
IP54

Beam angle 50°

—
D: 7
W: 6.5 cm
Cut Out: 5.5 cm



CIRCE

— 9136188

Sandy White
Aluminium
LED · 3 Watt
220-240V
170Lm · 3000K
IP54

Beam angle 50°

—
D: 7
W: 6.5 cm
Cut Out: 5.5 cm



COVE

— 9083011

Sandy White
Die- Casting
Aluminium
& Glass Diffuser
LED · 2 Watt
200-240 Vac
118Lm · 3000K
IP54

—
L: 14
W: 3.8
H: 7.7 cm

Cut Out: 13.2x5 cm



COVE

— 9083021

Sandy White
Die- Casting
Aluminium
& Glass Diffuser
LED · 2 Watt
200-240 Vac
118Lm · 3000K
IP54

—
L: 7.7
W: 3.8
H: 14 cm

Cut Out: 7.4x5 cm





COMPO
— 9019215

Sandy White
Polycarbonate
LED · 1 Watt
220-240 Vac
17Lm · 3000K
IP67

—
D: 5
W: 9 cm
Cut Out: 4.3 cm



COMPO
— 9019216

Sandy Black
Polycarbonate
LED · 1 Watt
220-240 Vac
17Lm · 3000K
IP67

—
D: 5
W: 9 cm
Cut Out: 4.3 cm



ERIS
— 9019217

Sandy Black
Aluminium
LED · 1 Watt
220-240 Vac
24Lm · 3000K
IP67

Light down

—
D: 6
W: 5.4 cm
Cut Out: 4.3 cm




ERIS
— 9019218

Sandy Black
Aluminium
LED · 1 Watt
220-240 Vac
26Lm · 3000K
IP67

Light up & down


—
D: 6
W: 5.4 cm
Cut Out: 4.3 cm



COMPO
— 9019215



COMPO
— 9019216



ERIS
— 9019217



ERIS
— 9019218



IKO
— 9019219

Sandy White
Polycarbonate
LED · 1 Watt
220-240 Vac
40Lm · 3000K
IP67

Light down

—
L: 5.5
W: 9
H: 5.5 cm
Cut Out: 4.3 cm



IKO
— 9019220

Sandy Black
Polycarbonate
LED · 1 Watt
220-240 Vac
40Lm · 3000K
IP67

Light down

—
L: 5.5
W: 9
H: 5.5 cm
Cut Out: 4.3 cm



IKO
— 9019221

Sandy White
Polycarbonate
LED · 1 Watt
220-240 Vac
45Lm · 3000K
IP67

Light up & down

—
L: 5.5
W: 9
H: 5.5 cm
Cut Out: 4.3 cm



IKO
— 9019222

Sandy Black
Polycarbonate
LED · 1 Watt
220-240 Vac
45Lm · 3000K
IP67

Light up & down

—
L: 5.5
W: 9
H: 5.5 cm
Cut Out: 4.3 cm



IKO
— 9019219





IKO
— 9019220




IKO
— 9019221



IKO
— 9019222





BANG
— 9203111

Stainless Steel
LED · 1 Watt
100-240 Vac
60Lm · 3000K
IP67
Beam angle 42°
—
D: 4.2
H: 9 cm
Cut Out: 3.7 cm



BANG
— 9203112

Stainless Steel
LED · 1 Watt
100-240 Vac
60Lm · 3000K
IP67
Beam angle 51°
—
D: 4.2
H: 9 cm
Cut Out: 3.7 cm



BANG
— 9203113

Stainless Steel
LED · 1 Watt
100-240 Vac
60Lm · 3000K
IP67
Beam angle 42°
—
D: 4.2
H: 7 cm
Cut Out: 3.7 cm



! For in ground installations, to avoid ingress of water or humidity we strongly recommend a watercourse installation.
● Warranty is only guaranteed under these circumstances.



BANG
— 9019212

Nickel Aluminium
LED · 1 Watt
3 Vdc · 105Lm
3000K · IP67
Connect it with driver 9020170
—
L: 3.7
H: 5.3 cm
Cut Out: 3.2 cm
Cable Length: 1.80m



BANG
— 9019213

Nickel Aluminium
LED · 1 Watt
3 Vdc · 99Lm
3000K · IP67
Connect it with driver 9020170
—
L: 3.7
H: 5.3 cm
Cut Out: 3.2 cm
Cable Length: 1.80m



BANG
— 8038801

Sandy White Aluminium
LED · 1 Watt
3 Vdc · 19Lm
3000K · IP67
—
D: 3.7
H: 5.3 cm
Cut Out: 3.2 cm



BANG
— 8038401

Sandy White Aluminium
LED · 1 Watt
3 Vdc · 105Lm
3000K · IP67
—
D: 3.7
H: 5.3 cm
Cut Out: 3.2 cm



BANG
— 8039001

Sandy White Aluminium
LED · 1 Watt
3 Vdc · 11.4Lm
3000K · IP67
—
D: 3.7
H: 5.3 cm
Cut Out: 3.2 cm



! Compatible with:
9020170
● Driver 4w Actec Mini

Input:
100-240 Vac
50/60Hz
Output:
3-12 Vdc · 350mA
IP65
Not Dimmable
Cable length:
1.80m



PASSAGIO
— 8090801

Sandy White
Aluminium
LED · 1 Watt
3 Vdc · 18Lm
3000K · IP54
**Connect it with
driver 9020170**

L: 3.7
W: 2.2
H: 3.7cm
Cut Out: 3.2 cm
Cable Length: 1.80m



PASSAGIO
— 9045418

Sandy Black
Aluminium
LED · 1 Watt
3 Vdc · 18Lm
3000K · IP54
**Connect it with
driver 9020170**

L: 3.7
W: 2.2
H: 3.7cm
Cut Out: 3.2 cm
Cable Length: 1.80m



PASSAGIO
— 9045514

Sandy White
Aluminium
LED · 1 Watt
3 Vdc · 32Lm
3000K · IP54
**Connect it with
driver 9020170**

L: 3.7
W: 2.1
H: 3.7cm
Cut Out: 3.2 cm
Cable Length: 1.80m



PASSAGIO
— 8058001

Sandy White
Aluminium
LED · 1 Watt
3 Vdc · 41Lm
3000K · IP54
**Connect it with
driver 9020170**

L: 3.9
W: 2.2
H: 3.9 cm
Cut Out: 3.4 cm
Cable Length: 1.80m



PASSAGIO
— 9031616

Sandy White
Aluminium
LED · 1 Watt
3 Vdc · 70Lm
3000K · IP54
**Connect it with
driver 9020170**

D: 3.9
W: 2.1 cm
Cut Out: 3.2 cm
Cable Length: 1.80m



PASSAGIO
— 9002601

Sandy White
Aluminium
LED Chip Cree
2 Watt
3 Vdc · 40Lm
3000K · IP54
**Beam angle 49°
Driver Included**

D: 5
W: 5
Cut Out: 4.5 cm



PASSAGIO
— 8090801



PASSAGIO
— 9045418



PASSAGIO
— 9045514



PASSAGIO
— 8058001



PASSAGIO
— 9031616



PASSAGIO
— 9002601



Compatible with:
9020170
• Driver 4w Actec Mini
Input:
100-240 Vac · 50/60Hz
Output:
3-12 Vdc · 350mA
IP65
Not Dimmable
Cable length: 1.80m



Accent Lighting

Our accent lights are designed to add depth, warmth, and elegance to any space. Whether highlighting architectural features, artwork, or specific areas, they create a captivating ambiance that enhances your décor.

With energy-efficient LED options designs, our accent lighting solutions offer both functionality and style, making any setting more inviting and visually dynamic.





ONE
— 9030920



ONE
— 9030921



ANDER
— 9050702



ONE
— 9030920

Sandy Black
Aluminium
LED · 4 Watt
24Vdc · 295Lm
3000K · IP65
Beam angle 33°
—
D: 4.5
H: 7.5 cm
Fabric belt: 1m



ONE
— 9030921

Sandy Black
Aluminium
LED · 8 Watt
24Vdc · 464Lm
3000K · IP65
Beam angle 33°
—
D: 5
H: 9 cm
Fabric belt: 1m



ANDER
— 9050702

Dark Anthracite
Aluminium & Glass
LED · 10 Watt
220-240 Vac
604Lm · IP65
CCT
3000-4000-5000K
by Touch Switch
Beam angle 47°
—
L: 13.5
W: 7
H: 16.5 cm



FOX
— 9470582

White Sandstone
Cement & Glass
Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP65

BULB EXCLUDED

—
D: 14
H: 16 cm



FOX
— 9470582



FOX
— 9470581

Black Sandstone
Cement & Glass
Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP65

BULB EXCLUDED

—
D: 14
H: 16 cm



FOX
— 9470581





QUICK

— 9844057

Sandy Black
Aluminium
LED · 7 Watt
220-240 Vac
398Lm · 2700K
IP65

Included plastic
spike (+19 cm)

D: 6.5
H: 11 cm



QUICK

— 9844058

Sandy Black
Aluminium
LED · 10 Watt
220-240 Vac
697Lm · 2700K
IP65

Included plastic
spike (+19 cm)

D: 6.5
H: 11 cm



QUICK

— 9844059

Sandy Black
Aluminium
LED · 13 Watt
220-240 Vac
1160Lm · 2700K
IP65

Included plastic
spike (+19 cm)

D: 8
H: 14 cm



CALIX

— 9172870

Sandy Black
Aluminium
& Glass
LED · 3 Watt
220-240 Vac
273Lm · 3000K
IP65

D: 4
W: 7.3
H: 22.5 cm



QUICK
— 9844057



QUICK
— 9844058



QUICK
— 9844059



CALIX
— 9172870



INSIDE

— 9010001

Sandy Black
Aluminium
& Glass
LED · 3 Watt
220-240 Vac
295Lm · 3000K
IP65

D: 4.5
W: 9
H: 21-26 cm



INSIDE

— 9010002

Sandy Black
Aluminium
& Glass
LED · 7 Watt
220-240 Vac
579Lm · 3000K
IP65

D: 6.5
W: 13
H: 24-31 cm



INSIDE

— 9010003

Sandy Black
Aluminium
& Glass
LED · 3 Watt
220-240 Vac
303Lm · 3000K
IP65

D: 4.2
W: 7
H: 21-24 cm



INSIDE

— 9010005

Sandy Black
Aluminium
& Glass
LED · 7 Watt
220-240 Vac
579Lm · 3000K
IP65

D: 6.5
W: 10
H: 24-28 cm



MINI
— 9010004



MINI

— 9010004

Sandy Black
Aluminium
& Glass
LED · 3 Watt
220-240 Vac
303Lm · 3000K
IP65

D: 4.2
W: 7
H: 5.5-8 cm



BASE

— 9010006

Sandy Black
Aluminium
**Combine with
9010002 & 9010005**

D: 5.5
W: 5.5
H: 4 cm





STAKE
— 9271492



STAKE
— 9271432



STAKE
— 9971455

STAKE
— 9271432

Dark Anthracite
Aluminium & Glass
LED · 5 Watt
100-240 Vac
378Lm · 3000K
IP65

Beam angle 21°

—
D: 5
W: 9
H: 33 cm



STAKE
— 9271492

Dark Anthracite
Aluminium & Glass
LED · 10 Watt
100-240 Vac
742Lm · 3000K
IP65

Beam angle 24°

—
D: 6.5
W: 11
H: 33 cm



STAKE
— 9971455

Dark Anthracite
Aluminium & Glass
LED · 5 Watt
100-240 Vac
378Lm · 3000K
IP65

Beam angle 21°

—
D: 5
W: 7
H: 45 cm



KIMIKO
— 9026126



KIMIKO
— 9026127



VIDA
— 9026128

KIMIKO
— 9026126

Dark Anthracite
Aluminium & Glass
LED · GU10 · 1x10 Watt
100-240 Vac
IP54

BULB EXCLUDED

—
D: 7
H: 12.5 cm



KIMIKO
— 9026127

Dark Anthracite
Aluminium & Glass
LED · GU10 · 1x10 Watt
100-240 Vac
IP54

BULB EXCLUDED

—
D: 7
W: 12.5
H: 21 cm



VIDA
— 9026128

Dark Anthracite
Aluminium & Glass
LED · GU10 · 1x10 Watt
100-240 Vac
IP65

BULB EXCLUDED

—
D: 7
W: 9.5
H: 21 cm





INSIDE
— 767801



INSIDE
— 875409



DESTRY
— 9136183



DESTRY
— 9136184



INSIDE
— 767801

Dark Gray
Aluminium
& Glass
LED · GU10 · 1x10 Watt
100-240 Vac
IP54

BULB EXCLUDED

D: 11
H: 20 cm



INSIDE
— 875409

Dark Gray
Aluminium
& Glass
LED · GU10 · 1x10 Watt
100-240 Vac
IP54

BULB EXCLUDED

D: 7.5
W: 15
H: 36 cm



DESTRY
— 9136183

Dark Anthracite
Aluminium, Glass
& Honeycomb
Antiglare Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP54

BULB EXCLUDED

D: 5.5
W: 9.5
H: 30 cm



DESTRY
— 9136184

Dark Anthracite
Aluminium, Glass
& Honeycomb
Antiglare Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP54

BULB EXCLUDED

D: 5.5
W: 9.5
H: 11.5 cm



NORTH
— 9240677



NORTH
— 9240678



NORTH
— 9240679

NORTH
— 9240677

Dark Anthracite
Aluminium & Glass
LED · 10 Watt
100-240 Vac
700Lm · 3000K
IP65

Beam angle 38°

D: 9
W: 9.5 cm



NORTH
— 9240678

Dark Anthracite
Aluminium & Glass
LED · 20 Watt
100-240 Vac
1500Lm · 3000K
IP65

Beam angle 38°

D: 12
W: 18 cm



NORTH
— 9240679

Dark Anthracite
Aluminium & Glass
LED · 30 Watt
100-240 Vac
2800Lm · 3000K
IP65

Beam angle 38°

D: 15
W: 20.5 cm



WALL WASHER
— 9011161

Wall Washer Sandy
Black Aluminium
& Glass
LED Chip Cree
32 Watt
24Vdc Adjustable
3388Lm · 3000K
IP67
Max Power 300 Watt
—
L: 100
W: 6.5
H: 12 cm



WALL WASHER
— 9011162

Wall Washer Sandy
Black Aluminium
& Glass
LED Chip Cree
44 Watt
24Vdc Adjustable
4223Lm · 3000K
IP67
Max Power 300 Watt
—
L: 100
W: 6.5
H: 12 cm



BRACKET
— 9011163

Brackets for 9011162
2pcs Included

WALL WASHER
— 9011161



WALL WASHER
— 9011162



INSTALLATION



Compatible with:
Multiple luminaires,
parallel 24Vdc connection:



9840106
Led Driver
75W · IP67 · 24Vdc

9840107
Led Driver
100W · IP67 · 24Vdc

9840108
Led Driver
150W · IP67 · 24Vdc

9840109
Led Driver
200W · IP67 · 24Vdc

CONNECTION: 9011161 - 9011162



WALL WASHER
— 9011102

Wall Washer Satin
Nickel Aluminium
& Glass
LED Chip Philips
24Vdc · 15 Watt
746Lm · 3000K
IP67
—
L: 100
W: 2.5
H: 3.5 cm



Compatible with:
Multiple luminaires,
parallel 24Vdc connection:


9840106
Led Driver
75W · IP67 · 24Vdc

9840107
Led Driver
100W · IP67 · 24Vdc

9840108
Led Driver
150W · IP67 · 24Vdc

9840109
Led Driver
200W · IP67 · 24Vdc

INSTALLATION



WATERPROOF
ULTRA THIN

WALL WASHER
— 9011102



Index

ALPHABETICAL INDEX

A	ACQUA	120
	ADORAY	189
	ADURO	97
	AETHER	141
	AGILE	270
	AGOSTO	94
	AIGO	177
	AIRY	59
	AIZEN	411
	AKMI	170
	ALI	321
	ALLEY	47
	ALLURE	255
	ALP	282
	ALUX	235
	AMEL	314
	ANDER	424
	ANETH	249
	APOLLO	120
	APPIA	394
ARABELLA	269	
ARAN	216	
ARION	153	
ARNE	379	
ARROW	310	
ARTU	264	
ASTRAL	258	
AZAR	287	

D	COLT	360
	COMBO	265
	COMO	275,279,292
	COMPO	414
	COPPER	230
	COSMIC	167
	COVE	413
	CRAM	208
	CUPPA	184
	DALT	347
	DARA	330
	DARF	296
	DARMA	144
	DECK	355
	DESSAY	149
	DESTROY	432
	DEVORA	181
DEWEI	287	
DEWI	293	
DIO	283	
DIRA	27	
DOUL	249	
DROPLET	313	
DUOMO	284	
DYN	156	
DYOL	142	

G	GERBER	272
	GLEAM	72
	GRANTE	216
H	GRAVITY	270
	GRIGIO	341
	HELMET	297
I	IKO	415
	IMAN	34
	INGA	253
	INSIDE	428,432
	ISIDORA	198
	ISOS	247
	JACKIE	303
JAX	326	
JIGRA	364	
JOYA	412	
JUDI	324	
K	KEEN	260,262
	KIMIKO	431
	KIOO	48
	KRYPTON	397,402,412
L	LETO	306
	LIDO	222
	LIMBIO	304
	LITA	221
	LIV	386
	LOCK	127
	LOEVE	187
	LORD	70
	LOVETO	156
	LUA	204
	LUCIA	367
	LUMINA	328
	LUMO	349
	LUNA	220
LUPU	262	
LUSY	299	
LUTON	397	
LUXOR	70	
M	MABEL	30
	MADDI	99
	MARBLE	44
	MAX	94
	METRO	66

M	MILE	269
	MILEY	285
	MINI	428
	MINIMAL	102
	MINOR	227
	MISTI	170
	MOBY	236
	MOCHA	370
	MONO	407
	MOOD	87
	MOON	160,162
	MORIS	401
MOTLEY	81,83	
N	NAVY	202
	NAWA	150
	NECTAR	271,383
	NED	111
	NEMO	87
	NEREUS	177
	NERO	301
	NEVE	64
	NITRO	88
	NOBU	263
	NOCTA	266
	NODINO	214
	NODUS	302
	NOOI	68
	NORTH	433
	NOTEN	60
	NOVA	252
NUS	296	
O	OFF	406
	OFIR	74
	OLIN	408
	OLIVER	323
	OMIKA	196
	ONE	424
	OONO	265
	OPERA	277
	OPTUS	175
	OPU	184
	ORACLE	78
	ORION	290
	OVI	297
	P	PACIFIC
PAN		378
PAR		225
PARK		117
PARRIS		271
PASSAGIO		418
PASSO		389
PATH		251
PAUL		155
PAX		172
PEC		128

P	PERSEA	373
	PETIT	356
	PETRA	226
	PIPE	77
	PISTILLO	64
	POET	74
	POLKA	406,407
	POLLY	266
	PORTAL	103
	POSEN	118
	PRATO	292
	PRIM	273
	PRIVE	182,238
	PUK	339
	PULSAR	398
	PURE	271
	PYRO	123
Q	QUICK	427
	RAMO	130
R	REGINA	241
	REO	324
	RIDGE	244
	RIO	387
	RITZ	224
	ROB	51
	ROCK	60
	RODIX	380
	ROSE	352
	RUDY	408
	S	SALLY
SANGO		391
SASSO		39
SEINA		359
SELENA		194
SENTO		139
SERIKA		284
SKY		323
SLOT		146
SOHO		293
SOLSTICE		28
SOREN		392
SORREN		241
SOUL	57	
SPIX	321	
SPOT	330	
SPY	136	
STAGE	214	
STAKE	430	
STARK	181	
STICK	124	
STONE	92	
STOR	40	

T	SUB	384
	SUITE	90
	SURF	175
	TAGLIO	63
	TALA	57,97
	TALL	101
	TEGOLO	366
	TEK	53
	TICK	291
	TIEN	97
	TIEPOLO	310
TOBY	383	
TOMMY	323	
TORRIN	298	
TOWER	88	
TRENDO	273	
TUBE	37	
TUNE	313	
TURA	211	
TWIN	113	
V	VALOR	273
	VEIRO	285
	VEL	73
	VERHAL	365
	VIDA	431
	VIDENO	272
	VIRTUS	32
VISION	387	
VIVION	404	
VOLVEL	112	
W	WALL WASHER	434
	WAY	294
Y	YCRO	344
	YOKO	294
	YORK	295
Z	ZARI	279
	ZARO	293
	ZELDA	107
	ZENITH	308
	ZENON	263
	ZEST	187
	ZIRI	270
ZOSIA	192	

CODE INDEX

710021	301	752250	397	910021	301	9010001	428	9020926	107	9030112	40	9030162	175	9030594	253	9030709	251	9030801	296	9030843	328	9030938	277
710022	301	752461	327	910022	301	9010002	428	9020927	379	9030113	40	9030163	175	9030595	253	9030710	251	9030802	101	9030844	328	9030939	277
710041	301	752462	327	910041	301	9010003	428	9020928	109	9030114	66	9030164	314	9030596	253	9030711	356	9030803	101	9030845	328	9030940	277
710042	301	752463	327	910042	301	9010004	428	9020929	109	9030115	144	9030165	314	9030597	394	9030712	356	9030804	101	9030846	72	9030941	277
710446	397	752470	297	8038401	417	9010005	428	9020930	109	9030116	144	9030166	314	9030598	394	9030713	356	9030805	37	9030847	72	9030942	277
711024	117	767801	432	8038801	417	9010006	428	9020931	109	9030117	144	9030167	314	9030599	394	9030714	356	9030806	37	9030848	141	9030943	252
713113	308	773221	302	8039001	417	9010008	282	9020932	308	9030118	144	9030558	153	9030600	394	9030715	356	9030807	254	9030849	141	9030944	252
713114	308	773222	302	8058001	418	9010009	282	9020933	308	9030133	342	9030559	153	9030601	190	9030716	66	9030808	254	9030850	141	9030945	260
713115	308	773223	302	8090801	418	9010601	304	9026001	94	9030134	342	9030560	153	9030602	190	9030717	66	9030809	403	9030851	139	9030946	260
713121	113	773224	302	8403622	397	9010602	304	9026002	94	9030135	342	9030561	355	9030603	190	9030718	64	9030810	403	9030854	39	9030947	326
713122	113	810067	270	8403624	397	9010621	304	9026116	287	9030136	342	9030562	355	9030604	190	9030719	64	9030811	383	9030855	39	9030948	326
713123	117	811201	399	8403626	397	9010622	304	9026117	287	9030137	342	9030563	355	9030605	190	9030720	150	9030812	383	9030856	39	9030949	87
713124	117	811501	398	9002601	418	9011102	435	9026118	287	9030138	344	9030564	355	9030606	190	9030721	150	9030813	383	9030857	87	9030949	326
713311	120	811502	399	9002840	103	9011161	434	9026119	269	9030139	344	9030565	168	9030607	348	9030722	150	9030814	383	9030858	87	9031616	418
713312	120	812102	399	9002841	103	9011162	434	9026120	411	9030140	344	9030566	168	9030608	348	9030723	73	9030815	291	9030859	87	9040021	331
713313	120	812103	398	9002850	92	9011163	434	9026122	97	9030141	344	9030567	168	9030609	348	9030724	73	9030816	291	9030860	87	9040022	331
713411	120	812104	398	9002851	92	9018061	386	9026123	57	9030142	344	9030568	170	9030610	348	9030744	57	9030817	291	9030861	87	9040061	331
713412	124	812302	399	9002860	92	9018062	386	9026124	57	9030143	347	9030569	170	9030611	348	9030745	57	9030818	291	9030862	87	9045418	418
713514	308	813101	127	9002861	365	9019212	417	9026125	39	9030144	347	9030570	170	9030612	348	9030746	292	9030819	403	9030863	101	9045514	418
726217	279	813104	127	9002862	365	9019213	417	9026126	431	9030145	347	9030571	170	9030613	348	9030747	292	9030820	403	9030864	101	9050700	310
726401	402	819502	111	9002863	353	9019215	414	9026127	431	9030146	347	9030572	32	9030614	348	9030748	88	9030821	330	9030900	236	9050701	310
726402	402	819503	111	9002864	353	9019216	414	9026128	431	9030147	347	9030573	32	9030615	348	9030749	88	9030822	330	9030901	236	9050702	424
726403	402	822642	181	9002866	74	9019217	414	9026144	407	9030148	288	9030574	32	9030616	348	9030750	88	9030823	323	9030902	236	9050703	326
726404	402	826423	181	9002867	74	9019218	414	9026145	407	9030149	288	9030575	32	9030617	348	9030751	238	9030824	88	9030903	99	9050704	326
726405	402	833426	270	9002868	74	9019219	415	9027201	264	9030150	288	9030576	271	9030618	348	9030752	238	9030825	88	9030904	99	9050705	408
726406	402	847406	275	9002869	30	9019220	415	9027202	264	9030151	288	9030577	314	9030619	348	9030753	238	9030826	88	9030905	99	9050706	408
726407	412	847407	275	9002870	30	9019221	415	9030100	247	9030152	178	9030578	314	9030620	348	9030754	182	9030827	294	9030906	99	9050707	411
726408	397	847408	275	9002871	97	9019222	415	9030101	247	9030153	178	9030579	189	9030621	348	9030755	182	9030828	294	9030907	146	9050707	411
727001	402	852436	279	9002872	97	9020021	331	9030102	247	9030154	136	9030580	177	9030622	350	9030757	407	9030829	294	9030908	146	9050708	411
727002	402	859438	90	9002873	192	9020022	331	9030103	249	9030155	136	9030581	177	9030623	350	9030758	408	9030830	295	9030909	146	9050710	413
740401	293	859439	90	9002874	192	9020061	331	9030104	249	9030156	136	9030582	177	9030624	272	9030759	408	9030831	295	9030920	424	9050711	413
740402	293	870026	187	9002875	192	9020921	107	9030105	249	9030157	136	9030583	256	9030625	373	9030760	407	9030832	295	9030921	424	9050712	413
740403	293	870045	187	9002876	364	9020922	107	9030106	34	9030158	265	9030584	256	9030626	28	9030761	407	9030833	295	9030922	266	9050713	413
740404	293	870426	198	9002877	364	9020923	107	9030107	34	9030159	265	9030585	256	9030627	28	9030766	310	9030834	324	9030923	266	9050714	298
741662	292	870445	198	9002878	97	9020924	107	9030108	34	9030160	27	9030586	177	9030628	178	9030767	310	9030835	324	9030930	266	9050715	298
747406	275	875409	432	9002879	97	9020925	107	9030111	40	9030161	27	9030587	177	9030629	178	9030768	324	9030836	324	9030931	266	9050716	298
												9030588	177	9030630	258	9030769	324	9030837	324	9030932	378	9050717	298
												9030589	167	9030631	258	9030774	406	9030838	383	9030933	378	9050718	298
												9030590	167	9030632	258	9030775	406	9030839	383	9030934	290	9050719	298
												9030591	167	9030633	258	9030776	406	9030840	383	9030935	290	9050720	298
												9030592	167	9030707	251	9030777	406	9030841	383	9030936	290	9050721	298
												9030593	253	9030708	251	9030800	296	9030842	328	9030937	277	9050722	298

9050723	298	9060249	70	9136186	411	9136438	380	9186180	225	9207912	134	9271431	132	9492750	195	9695506	63	9923408	244	9971468	297
9050724	298	9060250	70	9136187	413	9136439	380	9186181	225	9209211	123	9271432	430	9492760	241	9695507	63	9923409	249	9971469	297
9050725	298	9060261	77	9136188	413	9136440	380	9186182	226	9209212	123	9271433	132	9492770	74	9739351	219	9923410	249	9971470	280
9050726	392	9060262	77	9136400	339	9136441	380	9186183	226	9220021	329	9271491	132	9492780	74	9739352	219	9923411	230	9971471	280
9050727	392	9060263	77	9136401	339	9136442	380	9186184	204	9220022	329	9271492	430	9521001	323	9756600	172	9923412	230	9971472	280
9050728	392	9060264	77	9136402	339	9136443	59	9186185	204	9223403	359	9277151	94	9521002	323	9756800	172	9923413	230	9971473	280
9050729	284	9060320	81	9136403	339	9136444	59	9186186	204	9223404	359	9279111	134	9522101	313	9762161	219	9923414	230	9971474	280
9050730	284	9060321	83	9136404	339	9136445	59	9186703	401	9223405	359	9279112	134	9522102	313	9762162	219	9923415	230	9971475	280
9050731	139	9060322	83	9136405	339	9136446	232	9186704	227	9223406	359	9281380	352	9529712	313	9790021	216	9923416	230	9971476	114
9050732	139	9060323	81	9136405	341	9136447	232	9186705	214	9223407	359	9281381	352	9529713	313	9790022	216	9923417	230	9971477	114
9050733	139	9080141	44	9136406	235	9136448	184	9186706	214	9223408	359	9291701	130	9529720	313	9790521	222	9923418	230	9971478	114
9050734	139	9080142	44	9136407	235	9136449	184	9186707	214	9223409	359	9291702	130	9529721	313	9790522	222	9923419	243	71371101	124
9060181	192	9080143	44	9136408	235	9136450	283	9186708	214	9223409	360	9291703	130	9540207	206	9790531	222	9923420	243	71371102	124
9060182	192	9080144	44	9136409	51	9136451	283	9186709	68	9223409	362	9297191	90	9540208	206	9790532	222	9923421	243	GL9030850	141
9060183	192	9083011	413	9136410	389	9136452	341	9186710	68	9223410	360	9470581	425	9540209	223	9790541	223	9923422	243	GL90602431	78
9060184	126	9083021	413	9136411	389	9136453	341	9186712	160	9223410	362	9470582	425	9540210	225	9790542	223	9923423	272	GL99714531	321
9060185	126	9100916	105	9136412	389	9136454	341	9186713	160	9223412	360	9492441	353	9540211	217	9790551	223	9923500	370	GL99714561	321
9060192	189	9100917	105	9136413	389	9136455	341	9186714	160	9223413	360	9492442	241	9540212	217	9790552	223	9925665	296		
9060193	189	9100918	105	9136414	389	9136456	255	9186715	162	9223414	360	9492500	189	9540213	216	9840106	139 146	9925666	296		
9060194	196	9104021	111	9136415	389	9136457	255	9186716	162	9223415	360	9492510	273	9540214	213	9840107	139 146	9926617	263		
9060195	196	9104022	111	9136416	384	9136458	255	9186717	162	9223997	362	9492520	273	9540215	213	9840108	139 146	9936101	118		
9060196	196	9104835	285	9136417	384	9136459	255	9186718	162	9223998	362	9492540	273	9540216	213	9840109	139 146	9936102	118		
9060197	196	9117080	400	9136418	384	9136460	53	9190101	156	9223999	362	9492550	263	9540217	206	9840109	139 146	9944141	412		
9060199	130	9117082	400	9136419	26	9136461	53	9193101	187	9226214	279	9492560	271	9540218	206	9844057	427	9944142	412		
9060202	306	9117084	400	9136420	128	9136462	54	9193102	187	9226215	279	9492570	270	9540225	202	9844058	427	9944602	323		
9060203	306	9117086	400	9136421	128	9136463	54	9195061	112	9226216	279	9492580	284	9540226	202	9844059	427	9944603	323		
9060204	306	9120621	156	9136422	47	9136464	184	9195062	112	9226217	279	9492590	272	9540227	224	9905021	60	9971451	132		
9060205	306	9120622	156	9136423	47	9160081	263	9197701	241	9232115	333	9492600	265	9540228	224	9905022	60	9971452	132		
9060206	263	9121911	362	9136424	47	9160101	270	9197702	241	9232116	334	9492610	263	9540234	220	9905023	60	9971453	321		
9060207	85	9121912	362	9136425	64	9172870	427	9200201	296	9232117	335	9492620	271	9540235	220	9905024	60	9971455	430		
9060208	85	9131201	118	9136426	64	9176101	175	9200202	296	9232118	336	9492630	269	9540236	220	9905025	60	9971456	321		
9060213	85	9131202	118	9136427	49	9176102	175	9200611	329	9232119	337	9492640	293	9540237	211	9922350	370	9971457	299		
9060230	81	9136174	275	9136428	49	9176103	367	9200612	329	9232120	338	9492650	293	9540238	211	9922360	369	9971458	299		
9060231	83	9136175	275	9136429	51	9176104	367	9202261	285	9240677	433	9492660	181	9540239	221	9922510	369	9971459	299		
9060232	81	9136176	286	9136430	51	9176105	272	9202262	285	9240678	433	9492670	387	9540240	221	9923400	142	9971460	264		
9060233	83	9136177	286	9136431	366	9176106	155	9203111	416	9240679	433	9492680	379	9540241	208	9923401	142	9971461	264		
9060243	78	9136178	330	9136432	366	9176107	155	9203112	416	9257871	269	9492690	387	9540242	208	9923402	149	9971462	303		
9060244	78	9136179	330	9136433	391	9176108	155	9203113	416	9262111	269	9492700	370	9540268	211	9923403	149	9971463	303		
9060245	78	9136182	297	9136434	391	9176109	155	9207167	90	9270015	260	9492710	241	9540269	211	9923404	149	9971464	303		
9060246	78	9136183	432	9136435	391	9176110	155	9207168	90	9270016	260	9492720	194	9540271	208	9923405	244	9971465	139		
9060247	70	9136184	432	9136436	391	9176111	102	9207615	94	9270027	260	9492730	194	9540272	208	9923406	244	9971466	68		
9060248	70	9136185	411	9136437	380	9176112	102	9207616	94	9270028	260	9492740	195	9695505	63	9923407	244	9971467	68		

LAMP TYPE

	LED
	BULB EXCLUDED
	BULB INCLUDED
	GU10
	E27
	E14
	G9
	GX53

LIGHT COLOR

	WARM WHITE
	CCT

EXTRAS

	MOTION SENSOR
	SOLAR SENSOR
	SWITCH ON/OFF
	ANTI SALT PROTECTION

CLASS

The protection class indicated to what extent the luminaire is protected against electric shock. All luminaires in this catalogue are at least protected with the protection class I – a higher class is specified in the information box of the respective luminaire.

	CLASS I Protective earthing
	CLASS II Protective Insulation
	CLASS III Protective Low Voltage

IP PROTECTION

The protection rating ensures the operational safety of luminaires. The first number specifies the extent of the protection against the ingress of foreign bodies, the second number identifies the humidity protection grade.

	IP54
	IP65
	IP67




DRIVER

	DRIVER INCLUDED
	DRIVER EXCLUDED



DIMMABLE

	DIMMABLE
	NOT DIMMABLE

ALLUMINIUM

	SANDY WHITE
	GRAY
	DARK GRAY
	DARK ANTHRACITE
	SANDY BLACK
	CORTEN
	ANTIQUE BROWN
	BEIGE
	SAND
	CREAM
	BASALT GRAY
	OLIVE GREEN
	SAGE GREEN
	RUST
	ORANGE
	BRASS GOLD

POLYCARBONATE

	WHITE
	SANDY WHITE
	DARK GRAY
	SANDY BLACK

CEMENT

	WHITE
	GRAY
	WHITE SANDSTONE
	BLACK SANDSTONE
	GRAY SANDSTONE

OTHERS

	MARBLE TRAVERTINE
	WHITE FIBER RESIN



light
the essence
of life

